

MAY 2023

CTL

CYBER TECH LIGHTING INC.

331 S. HALE AVE. FULLERTON ,
CA 92831 USA.

TEL:714-870-0794, 1-877-60CYBER

FAX:714-870-0795

WWW.CYBERTECHLIGHTING.COM



01-10

LED INDOOR FIXTURES

11

LED INDOOR GROW FIXTURES

12

LED EMERGENCY LAMPS & EXIT SIGNS

13

WIRING DEVICES

14-18

LED OUTDOOR FIXTURES

19-20

LED SECURITY LIGHTS

21-25

LED CAN KITS AND TRIMS

26-31

LED LAMPS & BULBS

32

INCANDESCENT SPECIALTY HEAT LAMPS

33-35

LED UNDERCABINET & TASK LIGHTS

36

LED WORK LIGHTS

NOT ALL CTL PRODUCTS ARE FEATURED IN THIS CATALOG.
PLEASE GO TO OUR WEBSITE TO SEE ALL AVAILABLE PRODUCTS.



SH3630P-LED

36" LED SHOP LIGHT FIXTURE

- Single Lamp Shop Light or Utility Light
- 30W 3000 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted or Hung
- Instant On Full Brightness
- 20,000 Hours Rated Life
- 4000K Cool White Color



SH4840SOP

45" DUAL LAMP SHOP LIGHT

- 42W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 50,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4740XOP-LED

47" DUAL EXTRA SLIM LAMP SHOP LIGHT

- 40W 4200 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4850DP-LED

48" PLATED DIAMOND TEXTURED SHOP LIGHT

- 50W 5500 Lumens
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 4000K Cool White Color
- Convenience Outlet for Easy Linking



SH4848HO-LED

48" DUAL LAMP HIGH LUMEN SHOP LIGHT

- 48W 5500 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking



SH4880PO-HO

48" EXTRA HIGH LUMEN SHOP LIGHT

- 84W 10000 Lumens, High Lumen Per Watt Unit
- Includes On/Off Pull Chain Switch and a 5 Foot Power Cord
- No Lamps to Purchase or Replace
- Hanging Hardware Included
- Can also be Surface Mounted
- Instant On Full Brightness
- 25,000 Hours Rated Life
- 5000K Day Light Color
- Convenience Outlet for Easy Linking

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH3630P-LED	36" LED One Lamp Shop Light White Color	30W	4000K	3000	20,000 Hours	12 pcs	35.75"x2.6"x1.3"	80680215643-9
SH4840SOP	45" LED Two Lamps Shop Light White Color	42W	4000K	4200	50,000 Hours	10 pcs	45"x4.09"x1.65"	74616080015-8
SH4740XOP-LED	47" LED Two Lamps Shop Light White Color	40W	4000K	4200	25,000 Hours	10 pcs	47.24"x3.35"x1.33"	74616080041-7
SH4850DP-LED	48" LED Diamond Plated Shop Light Cool White	50W	4000K	5500	25,000 Hours	6 pcs	47.24"x5.82"x2.56"	80680215628-6
SH4848HO-LED	48" LED Two Lamps Shop Light Day Light	48W	5000K	5500	25,000 Hours	10 pcs	47.24"x5.63"x1.81"	80680215627-9
SH4880PO-HO	48" LED Extra High Lumen Shop Light Day Light	84W	5000K	10000	25,000 Hours	10 pcs	47.24"x3"x1.94"	80680215641-5



ST48132-LED

ST48232-LED*

4 FT LED SINGLE & DOUBLE TUBE STRIP

- Two 15 Watt LED T8 Lamp, 3600 Combined Lumens*
- Operates on 120-277V
- Ceiling Mount or Suspended
- 4000K Cool White
- Application: Garages, Restrooms, Carports, Walkways
- Standard 4" Strip Housing
- Tradition Housing with Lamp


 ST4840XS-LED/3CCT
 ST9660XS-LED/3CCT

CCT

4 & 8 FT LED ULTRA SLIM SQUARE COVERED STRIP LIGHT

- 40/60 Watt LED 4400/6600 Lumen Output
- Adjustable Color 3000K Warm White, 4000K Cool White or 5000K Day Light
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Polycarbonate Square Lens
- 50,000 Hour Life, 2-1/2" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately) NOTE: Motion Sensor for 4Ft Only


 ST48234S-LED/CCT
 ST96567S-LED/CCT

CCT

4 & 8 FT LED SLIM COVERED STRIP LIGHT

- Adjustable Watt 25W, 30W, and 40W(4ft)
- Adjustable Watt 50W, 60W, and 70W(8ft)
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Adjustable Color 3500K Bright Warm White, 4000K Cool White, or 5000K Daylight
- 50,000 Hour Life, 3-1/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)


 ST4840L-LED/840
 ST4840L-LED/850

4 FT LED WIDE COVERED STRIP LIGHT

- 40 Watt LED 5200 Lumen Output
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)


 ST9660L-LED/840
 ST9660L-LED/850
 ST9685L-LED/840
 ST9685L-LED/850

8 FT LED WIDE COVERED STRIP LIGHT

- 63 Watt (8190LM) & 85 Watt (11050LM) Option
- Operates on 120-277V, 0-10V Dimmable
- Steel Body & Easy Fit Polycarbonate Round Lens
- Available in 4000K Cool White & 5000K Day Light
- 50,000 Hour Life, 3-3/4" Wide Body
- Motion Sensors and Battery Backup's Can be Added on to Unit (Sold Separately)

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
ST48132-LED	4' LED One Lamps Strip Fixture Cool White	15W	4000K	1800	25,000 Hours	1 pc	48"x3"x3.1"	79357374846-1
ST48232-LED	4' LED Two Lamps Strip Fixture Cool White	32W	4000K	3600	25,000 Hours	1 pc	48"x4"x3.1"	79357374847-8
ST4840XS-LED/3CCT	4' LED Slim Square Strip 3CCT	40W	3000K/4000K/5000K	4400	50,000 Hours	6 pc	48"x2.28"x2.48"	80680215579-1
ST9660XS-LED/3CCT	8' LED Slim Square Strip 3CCT	60W	3000K/4000K/5000K	6600	50,000 Hours	6 pc	96"x2.28"x2.48"	80680215604-0
ST48234S-LED/CCT	4' LED Strip Fixture 3CCT	25W/30W/40W	3500K/4000K/5000K	3250/3900/5200	50,000 Hours	1 pc	48.03"x2.95"x3.27"	74616080011-0
ST96567S-LED/CCT	8' LED Strip Fixture 3CCT	50W/60W/70W	3500K/4000K/5000K	6500/7800/9100	50,000 Hours	1 pc	96"x2.95"x3.27"	74616080036-3
ST4840L-LED/840	4' LED Coverd Strip Light Fixture Cool White	40W	4000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215379-7
ST4840L-LED/850	8' LED Coverd Strip Light Fixture Day Light	40W	5000K	5200	50,000 Hours	1 pc	47.5"x4.4"x3.6"	80680215380-3
ST9660L-LED/840	8' LED Coverd Strip Light Fixture Cool White	63W	4000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215395-7
ST9660L-LED/850	8' LED Coverd Strip Light Fixture Day Light	63W	5000K	8190	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215394-0
ST9685L-LED/840	8' LED Coverd Strip Light Fixture Cool White	85W	4000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215382-7
ST9685L-LED/850	8' LED Coverd Strip Light Fixture Day Light	85W	5000K	11050	50,000 Hours	1 pc	96"x4.4"x3.6"	80680215381-0



C4805-LED

4 FT LED WRAP FIXTURE

- 4 Foot length
- 40W LED 3200 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Full Wrap Acrylic Lens
- 5 Inch Width Body
- 120-277 Volt, 1-10V Dimmable
- 25,000 Hour Life
- Damp or Dry Location
- JA8, 90 CRI, 4,000K Cool White



C4809-LED

4 FT x 9IN ECONOMY LED WRAP FIXTURE

- 4 Foot Length
- 36W LED 3200 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Acrylic Lens
- 9 Inch Width Body
- 120-277 Volt
- 25,000 Hour Life
- Damp or Dry Location
- 4,000K Cool White



C4809L-LED/840

4 FT x 9IN PREMIUM DLC LED WRAP

- 4 Foot Length
- 40W LED 4200 Lumen Output
- Non-Corrosive Powder-Coated Steel Body
- Acrylic Lens
- 9 Inch Width Body
- Damp or Dry Location
- Operates on 120-277V, 0-10V Dimmable
- 4000K Cool White LED Solid State Array
- 50,000 Hour Life, 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



C4804-LED/840

4 FT LED WALL or CEILING FIXTURE

- 36 Watt 4500 Lumen Output
- Replaces 2 Lamp Fluorescent Fixture
- Non-Corrosive Powder Coated Steel Body and Acrylic Lens
- Application: Bathrooms, Laundry Rooms, Kitchens, Hallways, Garports and Walkways
- 50,000 Hour Life

Accessories: Battery Backup, Motion Sensor

Model#	Description	LED Watt	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
C4805-LED	5" LED Wrap Fixture	40W	4000K	3200	25,000 Hours	4 pc	48.74"x5.17"x2.37"	68059658284-7
C4809-LED	9" LED Wrap Fixture	36W	4000K	3200	25,000 Hours	1 pc	47.5"x9"x3.1"	68059658285-4
C4809L-LED/840	9" LED Wrap Fixture	40W	4000K	4200	50,000 Hours	1 pc	48"x9"x3"	80680215401-5
C4804-LED/840	4" LED Wall Vanity Fixture Cool White	36W	4000K	4500	50,000 Hours	1 pc	46.7"x4.1"x3.7"	80680215383-4





C2405W-LED

2 FT LED ECONOMICAL WRAP FIXTURE

- 2 Foot length
- 20W LED 1400 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120-277 Volt
- 50,000 Hour Life
- Damp or Dry Location
- 4,000K Cool White



C4805W-LED

4 FT LED ECONOMICAL WRAP FIXTURE

- 4 Foot length
- 40W LED 3200 Lumen Output
- Non-Corrosive Powder Coated Steel Body
- Easy Fit Polycarbonate Lens
- 5 Inch Width Body
- 120-277 Volt
- 50,000 Hour Life
- Damp or Dry Location
- 4,000K Cool White



C4840SVP-LED/CCT

CCT

4 FT LED VAPOR LIGHT

- 40 Watt LED 4600 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Adjustable Color 3000K Warm White, 4000K Cool White or 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



C9665SVP-LED/850

8 FT LED VAPOR LIGHT

- 65 Watt LED 8450 Lumen Output
- Operates on 120-277V 0-10V Dimmable
- Polycarbonate construction
- Available in 5000K Day Light
- Application: Carports, Walkways, Airplane Hangers, Laundry Rooms, Freezers, Retail Stores, Warehouses
- 50,000 Hour Life 5 Year Limited Warranty
- Motion Sensors and Battery Backup's Can be Added on to Unit



VP-MS

MOTION SENSOR

- Microwave Motion Sensor
- Can be Set for Dual Bright Operation
- Installed into Fixtures in House or Can be Purchased Separately
- Compatible with ST4840L-LED, ST4824S-LED, ST9660L-LED, ST9685L-LED, C4809L-LED, C4840SVP-LED, C9665SVP-LED



BATTERY BACKUP

- Operates Unit for 90 Minute
- Has A Test Button and Indicator Light
- Installed into Fixtures in House or Can be Purchased Separately
- BK-800 Compatible with ST4824S-LED, ST4840L-LED, C4809L-LED, C4840SVP-LED, and Outdoor Wallpacks
- BK-1600 Compatible with ST9660L-LED, ST9685L-LED, C9665SVP-LED/850, HL100I/850, HL165I/850, HL220I/850, HL300I/850, HL100UFO, HL150UFO, HL240UFO

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC Prefix 680596
C2405W-LED	2' LED Wrap Fixture	20W	N/A	4000K	1400	50,000 Hours	4 pc	24.5" x 5.4" x 2.5"	80680215549-4
C4805W-LED	4' LED Wrap Fixture	40W	N/A	4000K	3200	50,000 Hours	4 pc	47.4" x 5.4" x 2.5"	80680215550-0
C4840SVP-LED/CCT	4' LED Vapor Light Fixture 3CCT	40W	N/A	3000/4000K /5000K	4600	50,000 Hours	4 pc	47.24" x 3.84" x 3.2"	80680215509-8
C9665SVP-LED/850	8' LED Vapor Light Fixture Day Light	65W	N/A	5000K	8450	50,000 Hours	1 pc	96" x 4" x 3-3/16"	80680215510-4

New: Back lit adjustable CCT panel also available



CL36P14-D/DL

CL2X3P22-CCT*

CL3X5P24-CCT*

LED PANEL LIGHT 1'x4', 2'x2' & 2'x4'

- 50,000 Hour Life, Instant on LED
- Available in 5000K Day Light
- Adjustable CCT 3000K/4000K/5000K*
- 10% 0-10V Dimming
- Surface Mounting Kits Available
- Includes Earth Quake Clips

Accessories

Surface Mount Kit Available



CCT

CL40SMP14D-CCT

LED SLIM SURFACE MOUNT PANEL LIGHT

- 1'x4" Panel, Triac Dimmable
- 50,000 Hour Life, Instant on LED
- Adjustable CCT 3000K/4000K/5000K
- White Framed Edge
- Surface Mount (No extender frame needed) or T-Bar Drop Ceiling Mount



CL40TF22/CW

CL45TF24/CW

LED TRADITIONAL TROFFER FIXTURE

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- Includes Earth Quake Clips
- Height Dimensions 2.75"



CL36IDTF22/CW

CL50IDTF24/CW

LED INDIRECT DEEP REFLECTOR TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- Can be Installed with Backup Batteries(Sold Separately)
- 120-277V and 0-10 Dimmable
- High End Rounded Reflectors to Properly Reflect Light
- Includes Earth Quake Clips



CCT

CL3SID22-CCT

CL5SID24-CCT

LED SLIM DIRECT/INDIRECT TROFFER

- Low Profile Design 2'x2' & 2'x4'
- Non-corrosive Powder Coated Steel Body
- 120-277V and 0-10 Dimmable
- CCT Settable 4000K or 5000K(2X2), 3500K, 4000K, or 5000K(2X4)
- Watt Settable (see below)
- Can be Installed with Backup Batteries(Sold Separately)
- Battery backup sold separately



CL-BAT-BACKUP

EMERGENCY BATTERY BACKUP

- Runs Fixtures for 90 Minutes
- Mount Externally in the Field
- For Panels, Troffers, and Ceiling Fixtures
- For Use with Fixtures Where the Driver, LED Chip, and Its Wiring is Accessible

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
CL36P14-D/DL	36 Watt LED Panel Day Light	36W	5000K	4680	50,000 Hours	4 pc	47.76"x11.93"	80680215504-3
CL2X3P22-CCT	20/25/30/35 Watt LED Panel 4CCT	20/25/30/35W	3000K/3500K/4000K/5000K	2500/3125/3750/4375	50,000 Hours	2 pc	23.74"x23.74"x1.38"	80680215646-0
CL3X5P24-CCT	35/40/45/50 Watt LED Panel 4CCT	35/40/45/50W	3000K/3500K/4000K/5000K	4375/5000/5625/6250	50,000 Hours	2 pc	47.75"x23.74"x1.38"	80680215602-6
CL40SMP14D-CCT	40 Watt LED Panel 3CCT	40W	3000K/4000K/5000K	4000	50,000 Hours	2 pc	47.76"x11.93"x1.09"	74616080007-3
CL40TF22/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4100	50,000 Hours	1 pc	23.82"x23.81"x2"	68059658282-3
CL45TF24/CW	2X4 Foot LED Troffer Fixture	45W	4000K	4800	50,000 Hours	1 pc	47.44"x23.8"x2"	68059658283-0
CL36IDTF22/CW	2X2 Foot LED Troffer Fixture	40W	4000K	4000	50,000 Hours	1 pc	23.78"x23.78"x3.15"	68059658325-7
CL50IDTF24/CW	2X4 Foot LED Troffer Fixture	50W	4000K	5000	50,000 Hours	1 pc	47.44"x23.78"x3.74"	68059658326-4
CL3SID22-CCT	2X2 Foot LED Troffer Fixture	24W,36W	4000K/5000K	3000/4500	50,000 Hours	1 pc	23.74"x23.74"x1.77"	80680215588-3
CL5SID24-CCT	2X4 Foot LED Troffer Fixture	24W,36W,45W	3500K/4000K/5000K	3000/4500/5625	50,000 Hours	1 pc	47.8"x22.56"x3.19"	80680215589-0



HL110S/850
110W
HL130S/850
130W

HL220S/850
220W
HL300S/850
300W

HL165S/CCT
165/150/130W
*HL300S/CCT
300/275/255W

(*Coming soon...)

25" & 35" HIGH PERFORMANCE LINEAR HIGH BAY

- 110/130/165/220/300Watt LED, 15,000/17,800/23,100/29,800/40,500 Lumen Output
- Also Available with Pre-installed Occupancy Sensor Or Pre-installed Battery Backup (Sold Separately)
- 120-277V Input 0-10V Dimmable
- Add (MS) at end of Model Number for Motion Sensor (BK) for Battery Backup
- Non-corrosive Powder Coated Steel Body
- Includes Y-hangers with 3 Foot Hanging Chain
- 5 Year Warranty 50,000 Hour Life



For New Version



HL-MS

HL-UFOR-MS

HL-UFOAP-MS

HL-UFOR-REMOTE

Accessories Available: Motion Sensors (Not Installed), Battery Backup (in A Case Installed)



HIGH POWER LED UFO HIGH BAY

- 100/150/240W LED Replaces a 350/500/750W HID or MH Unit
- Cold Forged Aluminum Body
- 120 Degree Beam Angle
- 6Ft Power Cord
- 120-277V
- 0-10 Volt Dimmable
- Available in 850 Day Light Color Temperature
- CCT Model is Wattage Adjustable and CCT Adjustable 3000K, 4000K, 5000K

Accessories Available: Motion Sensors and Battery Backup

UFO HIGHBAY ACCESSORIES

- Easy Screen on Motion Sensor, No Wiring Needed
- Emergency Battery Backup
- Add BK at the end of Model Number to Order
- Operates Unit for 90 Minutes
- When Battery Backup is Installed on Unit, It Remains Upright
- Remote to Test Battery Backup HLUF0BK-REMOTE



HL120UFOXS-850

LED UFO SLIM DOB HIGH BAY/LOW BAY

- 120V, 120W UFO High Bay
- 6Ft Power Cord with Three Prong 120V Plug
- 110 Degree Beam Angle
- DOB LED System
- Black Color
- Heavy Duty Aluminum Diecast Body

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions	UPC
HL110S/850	25" High Bay	110W	5000K	15000	50,000 Hours	1 pc	24-5/8"x11-3/4"x2"	80680215388-9
HL130S/850	25" High Bay	130W	5000K	17800	50,000 Hours	1 pc	24-5/8"x11-3/4"x2"	80680215584-5
HL165S/CCT	24" High Bay 2CCT	165W/150/130W	4000K/5000K	23100/21000/18200	50,000 Hours	1 pc	23.98"x11.81"x1.57"	68059658346-2
HL220S/850	35" High Bay	220W	5000K	29800	50,000 Hours	1 pc	35-1/8"x15-1/8"x2-1/16"	80680215389-6
HL300S/850	35" High Bay	300W	5000K	40500	50,000 Hours	1 pc	35-1/8"x15-1/8"x2-1/16"	80680215564-7
(Coming soon) HL300S/CCT	24" High Bay 2CCT	300/275/255W	4000K/5000K	40000/37125/34500	50,000 Hours	1 pc	23.98"x14.17"x1.57"	80680215564-7
HL100UFO/850	UFO High Bay	100W	5000K	14500	50,000 Hours	1 pc	11.41"x7.56"	80680215593-7
HL150UFO/850	UFO High Bay	150W	5000K	21000	50,000 Hours	1 pc	11.41"x7.56"	80680215594-4
HL150UFO/CCT	UFO High Bay	150/120/100W	3000K/4000K/5000K	20250/16200/13500	50,000 Hours	1 pc	11.02"x5.75"	80680215594-4
HL240UFO/CCT	UFO High Bay	240/220/200W	3000K/4000K/5000K	33600/31240/29000	50,000 Hours	1 pc	13.4"x5.7"	80680215595-1
HL120UFOXS-850	UFO High Bay	120W	5000K	13200	50,000 Hours	1 pc	9.45"x4.92"	74616080042-4
HL-MS	120-277V OCCUPANCY SENSOR	N/A	N/A	N/A	N/A	1 pc	4-1/8"x1-7/8"x1/2"	80680215367-4
BK3000UFO	UFO Battery Backup	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOX-MS	UFO Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HLUF0BK-REMOTE	UFO Battery Backup Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOAP-MS	Motion Sensor	N/A	N/A	N/A	N/A	N/A	N/A	N/A
HL-UFOR-REMOTE	HL-UFOR-MS Remote	N/A	N/A	N/A	N/A	N/A	N/A	N/A



3 HEAD TRACK LIGHT FIXTURES

- 48" 120V 3-Wire Track Set With 3 LED Heads
- LED's have Adjustable Swivel Heads
- 25,000 Hour Life
- Dimmable, 3000K Warm White
- Available in White & Nickel Satin
- 1560 Total Lumen Output 21 Watt



TL7TH/WH*



TL7TH/NS



TL7TH/BL*

ROUND TRACK HEAD

- 7Watt(520 Lumens), 8Watt(600 Lumens)*
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



TL7BTH/WH



TL7BTH/NS



TL7BTH/BL

BULLET TRACK HEAD

- 7Watt(520 Lumens)
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



TL7STH/WH



TL7STH/NS



TL7STH/BL*

SQUARE TRACK HEAD

- 7Watt(520 Lumens), 8Watt(600 Lumens)*
- LED With Adjustable Swivel Heads
- Dimmable, 3000K Warm White
- 25,000 Hour Life
- Available in White, Nickel Satin, and Matte Black
- For (H) Halo Compatible Track



TL60CTH-WH/CCT*



TL60CTH/NS



TL60CTH/BL

LONG CYLINDER TRACK HEADS

- 7.5 Watt (600 Lumen)*, 10 Watt (600 Lumen)
- Built in LED Module
- Dimmable, 3000K Warm White
- Swivel and Rotate Heads to Point in Multi-direction
- Available in White, Nickel Satin, and Satin Black
- For (H) Halo Compatible Track

Future NS & BL Unit Will be CCT Adjustable

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (BDxGDxH)	UPC Prefix 680596
TL3TH-LED/WH	Includes: 48" 120V 3-Wire Track Set 3 LED 7 Watt Cylinder Head 1 Floating Canopy White Finish	21W	3000K	1560	25,000 Hours	4 pcs	47-3/4"x 2-1/4"x6-1/16"	79357374953-6
TL3TH-LED/NS	Includes: 48" 120V 3-Wire Track Set 3 LED 7 Watt Cylinder Head 1 Floating Canopy Nickel Satin Finish	21W	3000K	1560	25,000 Hours	4 pcs	47-3/4"x 2-1/4"x6-1/16"	79357374949-9
TL7TH/WH	LED Track Lighting Round Head White Finish	8W	3000K	600	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-15/16"	79357374952-9
TL7TH/NS	LED Track Lighting Round Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-15/16"	79357374948-2
TL7TH/BL	LED Track Lighting Round Head Black Finish	8W	3000K	600	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-15/16"	58341-7
TL7BTH/WH	LED Track Lighting Bullet Head White Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	58223-6
TL7BTH/NS	LED Track Lighting Bullet Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	58224-3
TL7BTH/BL	LED Track Lighting Bullet Head Black Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	80680215387-2
TL7STH/WH	LED Track Lighting Square Head White Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	58329-5
TL7STH/NS	LED Track Lighting Square Head Nickel Satin Finish	7W	3000K	520	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	58330-1
TL7STH/BL	LED Track Lighting Square Head Black Finish	8W	3000K	600	25,000 Hours	6 pcs	2-1/4"x 2-1/4"x5-11/16"	80680215386-5
TL60CTH-WH/CCT	LED Track Lighting Cylinder Head White Finish	7.5W	3000K/3500K /4000K	600	25,000 Hours	6 pcs	2.283"x 3.15"x5.75"	58344-8
TL60CTH/NS	LED Track Lighting Cylinder Head Nickel Satin Finish	10W	3000K	600	25,000 Hours	6 pcs	3.5"x 3.5"x8.5"	58345-5
TL60CTH/BL	LED Track Lighting Cylinder Head Black Finish	10W	3000K	600	25,000 Hours	6 pcs	3.5"x 3.5"x8.5"	80680215443-5


48" H-TYPE TRACK

- H Type Track-Single Circuit
- 48" Length (3 Connection)




END CONNECTOR (H-TYPE)

- Used for Direct Wiring Through the Ceiling
- Feed Track from Above with Flexible Conduit, or End Feed in Pendant Systems.




CONDUIT FEED (H-TYPE)

- Use Standard 1/2" Connector for Surface Wiring




JOINER CONNECTOR (H-TYPE)

- Connect Two Tracks Seemlessly to Elongate Your Track




FLEX CONNECTOR (H-TYPE)

- Connect Two Tracks in Different Angles. Can be Flexed to 90° Angle Left, Right, Up or Down



FLOATING CANOPY (H-TYPE)

- Allows Track to be Powered Anywhere Along the Length of the Track



CCT

LED CIRCULAR CLOUD FIXTURE

- Circular LED Module for Smooth Even Light
- Powder Coated Metal Body with Acrylic Lens
- 50,000 Hours Life
- Dimmable, 10" and 13" are 3000K, 3500K, and 4000K
- 15Watts 10" , and 21Watts 13"
- JA8

C17CD-LED

C20CD-LED

LED DECORATIVE CEILING FIXTURE

- Circular LED Module Gives Smooth Even Light
- Dimmable, 3000K Warm White
- 15Watts 11" and 26Watts 15"
- Available in Nickel Satin and Bronze
- JA8

C15122/BZ-LED

C23322/NS-LED

CCT

3CCT 5" & 7" FLUSH MOUNT ROUND

- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White

- 5" is 9 Watts 550 Lumen Output, 7" is 15 Watt 1050 Lumen Output
- 5" Available in White and Nickel Satin Finish
- 7" Available in White and Black Finish
- 5" Diameter or 7" Diameter Available
- 35,000 Hour Life

* Available in 3000K Only

C95RD-DISK/WH-CCT

C95RD-DISK/NS-CCT*

C157RD-DISK/WH*

C157RD-BL/NS-CCT

CCT

8" & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen or 22Watts 1540 Lumen Output
- Die Cast Aluminum Housing
- Available in Nickel Satin White Finish and Bronze
- Indoor/Outdoor Fixture
- Quick Install, Includes Earthquake Cable
- Available in 8" or 12" Diameter & Length
- Adjustable Color Settable 3000K Warm White, 3500K Bright Warm White, and 4000K Cool White
- 35,000 Hour Life

WET LOCATIONS
OUTDOOR USE

* Future Unit will be CCT Adjustable

C147RD-DISK/BZ
C2211RD-DISK/BZ

C147RD-DISK/NS
C2211RD-DISK/NS

C147RD-DISK/WH
C2211RD-DISK/WH

C147SQ-DISK/BZ
C2211SQ-DISK/BZ

C147SQ-DISK/NS*
C2211SQ-DISK/NS

C147SQ-DISK/WH
C2211SQ-DISK/WH*

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
C17CD-LED	11" White Ceiling Cloud Fixture	15W	3000K/3500K/4000K	1050	50,000 Hours	4 pcs	11"x3"	79357374976-5
C20CD-LED	13" White Ceiling Cloud Fixture	21W	3000K/3500K/4000K	1470	50,000 Hours	4 pcs	13"x4"	68059658205-2
C95RD-DISK/WH-CCT	5" Round Flush Mount Ceiling Fixtures White Finish	10W	3000K/3500K/4000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215580-7
C95RD-DISK/NS-CCT	5" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	10W	3000K/3500K/4000K	700	35,000 Hours	10 pcs	5.51"x1"	80680215581-4
C157RD-DISK/WH	7" Round Flush Mount Ceiling Fixtures White Finish	15W	3000K	1050	35,000 Hours	10 pcs	7.48"x1"	80680215640-8
C157RD-DISK/BL-CCT	7" Round Flush Mount Ceiling Fixtures Black Finish	15W	3000K/3500K/4000K	1050	35,000 Hours	10 pcs	7.48"x1"	80680215655-2
C15122/NS-LED	11" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658207-6
C15122/BZ-LED	11" Bronze, Frosted Lens Step Down Ceiling Fixture	15W	3000K	1100	50,000 Hours	4 pcs	11.23"x4.79"	68059658255-7
C23322/NS-LED	15" Nickel Satin, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658254-0
C23322/BZ-LED	15" Bronze, Frosted Lens Step Down Ceiling Fixture	26W	3000K	1900	50,000 Hours	2 pcs	15-1/4"x5-3/4"	68059658253-3
C147RD-DISK/BZ	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658368-1
C147RD-DISK/NS	8" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658369-8
C147RD-DISK/WH	8" Round Flush Mount Ceiling Fixtures White Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	80680215396-4
C147SQ-DISK/BZ	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/4000K	980	35,000 Hours	6 pcs	8"x1"	68059658370-4
C147SQ-DISK/NS	8" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	14W	3000K	720	35,000 Hours	6 pcs	8"x1"	68059658371-1
C147SQ-DISK/WH	8" Square Flush Mount Ceiling Fixtures White Finish	14W	3000K/3500K/4000K	720	35,000 Hours	6 pcs	8"x1"	80680215397-1
C2211RD-DISK/BZ	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215414-5
C2211RD-DISK/NS	12" Round Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215372-8
C2211RD-DISK/WH	12" Round Flush Mount Ceiling Fixtures White Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215412-1
C2211SQ-DISK/BZ	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215415-2
C2211SQ-DISK/NS	12" Square Flush Mount Ceiling Fixtures Nickel Satin Finish	22W	3000K/3500K/4000K	1540	35,000 Hours	6 pcs	12"x1"	80680215373-5
C2211SQ-DISK/WH	12" Square Flush Mount Ceiling Fixtures White Finish	22W	3000K	1320	35,000 Hours	6 pcs	12"x1"	80680215413-8



S15SAT/NS-LED



S15WSAT/NS-LED



S15QSAT/NS-LED

CCT

With Photocell

3CCT LED SATURN WALL SCONCE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 50,000 Hours Life
- Dimmable Model S15SAT/NS-LED
- Wet Location Models Available S15WSAT/NS-LED and S15QSAT/NS-LED

S15WSAT/NS-LED(BK)
 Available With Battery Backup


C15SAT/NS-LED



C15SAT/BL-LED

CCT

3CCT LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- JA8, 90 CRI Title 24 Compliant
- Acrylic Plastic Lens



C23SAT/NS-LED

CCT

3CCT LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- JA8, 90 CRI
- Acrylic Plastic Lens



V24SQB-NS/LED

CCT

3CCT LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 4000K Cool White or 5000K Day Light
- 25 Watt, 1750 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Polycarbonate Lens



V24SAT/NS-LED

CCT

3CCT LED SATURN WALL VANITY FIXTURE

- LED Module Gives Smooth Even Light
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- 25 Watt, 1800 Lumens
- 50,000 Hours Life
- JA8, 90 CRI
- Acrylic Plastic Lens


 C48SAT/NS-LED
 C48SAT/NS-LED/940

CCT

LED CLOUD PUFF FIXTURE

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- CCT Switch 3000K Warm White, 3500K Bright Warm White or 4000K Cool White
- 90 CRI
- Acrylic Plastic Lens


 C35SAT/NS-LED
 C35SAT/NS-LED/940

LED CEILING FIXTURE SATURN

- Dimmable
- LED Module Gives Smooth Even Light
- 50,000 Hours Life
- Warm White 3000K, Cool White 4000K
- JA8, 90 CRI
- Acrylic Plastic Lens

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (BDxGDxH)	UPC Prefix 680596
S15SAT/NS-LED	7" Nickel Satin Saturn Wall Sconce DIMMABLE	15W	3000K/4000K/5000K	800	50,000 Hours	4 pcs	7-1/16"x3-1/2"x9-7/8"	58289-2
S15WSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7"x3-1/2"x10"	58331-8
S15QSAT/NS-LED	7" Powder Coated Saturn Wall Sconce NOT DIMMABLE	15W	3000K/4000K/5000K	1000	50,000 Hours	4 pcs	7.09"x3.8"x10"	80680215626-2
C15SAT/NS-LED	12" Nickel Satin Saturn Ceiling Fixture DIMMABLE	15W	3000K/3500K/4000K	1050	50,000 Hours	4 pcs	12"x12"x3.46"	58210-6
C15SAT/BL-LED	12" Black Saturn Ceiling Fixture DIMMABLE	15W	3000K/3500K/4000K	1050	50,000 Hours	4 pcs	12"x12"x3.46"	80680215656-9
C23SAT/NS-LED	16" Nickel Satin Saturn Ceiling Fixture DIMMABLE	25W	3000K/3500K/4000K	1750	50,000 Hours	2 pcs	16"x16"x4"	58209-0
V24SQB-NS/LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1750	50,000 Hours	4 pc	24-3/8"x4-7/8"x4-1/4"	80680215625-5
V24SAT/NS-LED	24" Nickel Satin Saturn Wall Vanity fixture DIMMABLE	25W	3000K/3500K/4000K	1800	50,000 Hours	4 pc	23-7/8"x5-3/8"x4"	58269-4
C48SAT/NS-LED	48" Nickel Satin Saturn Cloud Puff Fixture DIMMABLE	35W	3000K/3500K/4000K	2800	50,000 Hours	1 pc	48"x10"x4"	80680215402-2
C48SAT/NS-LED/940	48" Nickel Satin Saturn Cloud Puff Fixture DIMMABLE	35W	4000K	2800	50,000 Hours	1 pc	48"x10"x4"	80680215519-7
C35SAT/NS-LED	32" Nickel Satin Saturn Ceiling Fixture DIMMABLE	35W	3000K	2500	50,000 Hours	1 pc	32"x18"x4.5"	58252-6
C35SAT/NS-LED/940	32" Nickel Satin Saturn Ceiling Fixture DIMMABLE	35W	4000K	2500	25,000 Hours	1 pc	32"x18"x4.5"	80680215518-0



24" & 48" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 17 Watt and 32 Watt LED
- Operates on 120V, High PPF
- For ALL Plants Types, Indoor Growing
- Linkable Up to 30 Units(4Ft), 60Units (2Ft)
- 6 Ft Cord
- Hanging Hardware Included
- 50,000 Hours Lamp Life



24" DUAL STAGE LED GROW LIGHT

- 2 Stages for Entire Growth Cycle Flip Switch from Vegetative Stage to the Flowering Stage
- 24 Watt LED
- Operates on 120V, High PPF
- For ALL Plants Types, Indoor Growing
- Linkable Up to 6 Units
- 6 Ft Cord
- Hanging Hardware Included
- 25,000 Hours Lamp Life



CLAMP DUAL HEAD GROW LIGHT

- 15 Watt LED, High PPF
- Switch with Multi-Settings: Budding or Flowering, Full Spectrum with Dimmer, and Timer to Operate 3/9/12 Hours
- USB Cord and Adapter Included



24" LED UNDER-CABINET GROW LIGHT

- 11 Watt LED
- Includes On/Off Switch with 3 Ft Power Cord
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- Easy Installation with Two Screws
- 25,000 Hours Lamp Life



DUAL SETTING LED GROW LIGHT BULB

- Adjustable Switch for Budding or Flowering Stage
- 9 Watt LED
- Operates on 120V
- For ALL Plants Types, Indoor Growing
- PPF Output 15 Micromoles Per Second
- E26 Base
- 25,000 Hours Lamp Life

Model#	Description	LED Wattage	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
SH2417-GRO	Two - Stage LED Hanging Grow Light	17W	50,000 Hours	6 pcs	25"x5.4"x2.4"	80680215587-6
SH4832-GRO	Two - Stage LED Hanging Grow Light	32W	50,000 Hours	6 pcs	47.6"x5.4"x2.4"	80680215488-6
SH2424-GRO	Two - Stage LED Hanging Grow Light	24W	25,000 Hours	10 pcs	24"x4.09"x1.65"	74616080047-9
CP152HL-GROW	Two - Stage LED Clamp Dual Head Grow Light	15W	25,000 Hours	6 pcs	25"x3"x4"	74616080048-6
UL24ST3-GROW	24" LED Surface Mount Grow Light	11W	25,000 Hours	12 pcs	24"x1.9"x0.75"	80680215635-4
LB60R30-GRO	BR30 LED Grow Light	9W	25,000 Hours	6 pcs	3.7"x5.2"	74616080014-1





LB65R30-WWBK



LED REFLECTOR & POWER FAILURE BULB

- Indoor use/not dimmable
- Used as a normal reflector & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 65 watt incandescent, uses 8 watts
- Auto recharging when power is on



LB60A-D/CCTBK



CCT

POWER FAILURE A LAMP (A21)

- Adjustable color settable 2700K, 3000K, 3500K, 4000K, 5000K
- Indoor use/dimmable
- Used as a normal A Bulb & if the power goes out it switches to battery power on its own (2-in-1 function)
- Operates 3 hours during power outage
- Replaces a 60 watt incandescent, uses 9 watts
- Auto recharging when power is on



E1LEDX-RD



E1LEDX-GR

LED EXIT LIGHTS

- Dual Voltage 120-277V
- Contemporary Design Complies to Local Codes
- Mounting Canopy Included for Side or Ceiling Mounting
- Wall Mount Single Side to J-box
- Includes Snap in Second Side for Dual Side View
- 90 Min Emergency Operation
- Maintenance Free 1.2V Ni-Cad Battery



S15WSAT/NS-LED(BK)

CCT

LED SATURN WALL SCONCE WITH BATTERY BACKUP

- 3 CCT Color Adjustable 3000K, 4000K, & 5000K
- Suitable for Wet Locations
- Indoor / Outdoor Use
- 15W Wall Sconce 1100 Lumens on Regular Operation
- 4W, 295 Lumens on Back-Up Operation
- 90 Minutes Operation During Power Outage
- Acrylic Lens, Nickel Satin Finish



LWP12BZACEM-SDT/850

EMERGENCY LED WALL LIGHTS

- Die-Casting Aluminum Housing
- Daily use 12W/1 000 Lumen,
- Emergency Operation 4.8W/1433Lumen
- 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens and Mirrored Reflector
- Rechargeable Ni-Cad Battery
- Wet Location Listed (IP65)

External & Internal, Indoor & Outdoor Battery Backups Are Available For Most Fixtures (Sold Separately). Models That Are Available Are Listed Throughout This Catalog. See Each Fixture Model Description For This Information.



SW-DM600-12-3/LED/WH



SW-DM600-12-3/LED/IV

DIMMER SWITCH WITH ON/OFF ROCKER

- For LED, CFL, Incandescent, and Halogen
- Single Pole & 3 Way
- Built in RFI Suppressor
- 18 Awg Lead Wire
- Available in White and Ivory
- White Available in a 3-Pack



SW-DM106-0-10V

0-10V DIMMER SWITCH

- Includes Standard Cover Plate
- Electro-Mechanical Type
- Smooth Sliding Action For Precise Lighting Control
- 18Awg LEAD Wire
- Single Pole & 3 Way, For LED or Dimmable Fluorescent Fixtures
- Maximum Wattage on 120V is 600Watts or 277V is 550Watts



OT2-2USB

MULTI PLUG USB OUTLET

- This receptacle and wall plate provides two 110V outlets and two USB ports
- Compatible with USB 1.1/2.0/3.0
- Delivers maximum current of 3.1A to devices
- Designed for use with phones, MP3 players, tablets, and other USB devices
- Tamper Resistant, safe for houses with young children
- Safety mechanism prevents damage when incorrect devices or cords are plugged in



LWP100SB/850(***)



LWP150SB/850(***)



LWP240SB/850(***)

ACCESSORIES:
 Slip Fitter


SF

LED Area Light Shoe Box

- 100/150/240W LED Replaces a 300/500/750 MH Unit
- Low Profile Design
- Aluminum Rust-Proof Body
- 120-277 Volt Input
- 1-10 Volt Dimmable Driver
- Can be installed with PIR Bilevel(accessories) Motion Sensors
- DLC Listed

Wall Mount/Pole Mount


WPM

Yoke Mount


YM

Pole to 2-3/8" Tenon Adapter (Available)


4" Round



5" Round



4" Square



5" Square



L Shape Double Tenon



180° Flat Double Tenon


 30 Watt
 LWP35YP-BZ/DL

CCT

 Adj. 65, 50, 35 Watt
 LWP60YP-BZ/CCT

CCT

 Adj. 120, 96, 72 Watt
 LWP100YP-BZ/CCT

LED Area Light

- Auto On/Off Dusk-to-Dawn Photocell
- Rugged Corrosion Resistant Cast Aluminum body
- Outdoor Wet Locations Rated
- CCT Models are Wattage Adjustable
- Built in Dusk to Dawn Photocell (Can be bypassed)
- 50,000 Hour Life



PM75U2-BL/CCT

CCT
LED Post Top Fixture

- Adjustable Wattage 75W/50W/35W
- Adjustable Color Settable 3000K, 4000K, 5000K
- 120-277 Dual Voltage
- Aluminum Rust-Proof Body
- Fits Maximum 3" Pole or 2-3/8" Tenon
- Suitable For Wet Location (IP65)
- Powder Coated Black Finish
- 0-10 Volt Dimmable

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP100SB/850(***)	100W	5000K	13163	50,000 Hours	1 pcs	17.68"x 12.83"x 3.23"	80680215463-3	5 Years
LWP150SB/850(***)	150W	5000K	19880	50,000 Hours	1 pcs	17.68"x 12.83"x 3.23"	80680215392-6	5 Years
LWP240SB/850(***)	240W	5000K	32400	50,000 Hours	1 pcs	22.87"x 12.91"x 3.23"	80680215433-6	5 Years
LWP35YP-BZ/DL	30W	5000K	4000	50,000 Hours	6 pcs	6.95"x 9.29"x 3.94"	68059658281-6	5 Years
LWP60YP-BZ/CCT	65/50/35W	3000K/4000K/5000K	8700/6700/4700	50,000 Hours	6 pcs	9.07"x 12.6"x 4.42"	80680215441-1	5 Years
LWP100YP-BZ/CCT	120/96/72W	3000K/4000K/5000K	15600/12480/9360	50,000 Hours	6 pcs	13.48"x 9.49"x 4.48"	80680215601-9	5 Years
PM75U2-BL/CCT	75/50/35W	3000K/4000K/5000K	9225/6150/4305	50,000 Hours	1 pcs	D14.96"xH20.69"	80680215630-9	5 Years



LWP12FBZ/WW/P

Flat LED Wall Pack

- Auto On/Off Dusk-to-Dawn Photocell.
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5-1/4" x 2-5/8" x 8-1/5/8"
- Steel Housing and Poly Carbonate Lens
- 12W LED 1100 Lumen Output, 3000K Warm White
- Wet Location



LWP15BZ/DL/P

15W LED Wall Pack

- Auto On/Off Dusk-to-Dawn Photocell.
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5.79" x 8.58" x 3.07"
- 15W LED 2000 Lumen Output, 5000K
- Aluminum Body and Polycarbonate Lens
- Wet Location



LWP25BZ/CCT/P

CCT

26W LED Wall Pack

- Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light
- Auto On/Off Dusk-to-Dawn Photocell.
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas.
- Dimensions: 5.79" x 8.58" x 3.07"
- 26W LED 3380 Lumen Output, Aluminium Housing & Polycarbonate Lens
- Wet Location



LWP15PCBZ-CCT/P

CCT

15W LED Half Dome PC Wall Pack

- Dual Color Settable 3000K Warm White or 5000K Day Light
- Easy to Shut Off Sensor Cover Included
- Auto On/Off Dusk-to-Dawn Photocell.
- 15W LED 1100 Lumen Output
- Plastic Polycarbonate Housing and Lens
- Wet Location



LW11JJ/BL/P-LED

CCT

LED Jelly Jar Lantern

- Adjustable Color Settable 3000K Warm White 4000K Cool White or 5000K Day Light
- 12W LED Lamp 800 Lumens Replaces 60 Watt Incandescent
- Wet Location Certified
- Rugged Dark Bronze Cast Aluminum Body
- Auto On/Off: Dusk-to-Dawn Photocell
- Acrylic Opal Lens
- Instant Start Electronic Unit



LWP17BZ/CCT/P

CCT

LED Architectural Wall Mount

- Adjustable Color Settable 3000K Warm White, 4000K Cool White, or 5000K Day Light
- 18W LED Replaces 120 Watt Unit
- Integrated Dusk to Dawn Photocell
- Architectural Design
- Die-Cast Aluminium Rust Proof Housing
- 0-10V Dimmable, 50,000 hours Life
- Wet Location



S15WSAT/NS-LED

CCT

LED Saturn Wall Sconce

- LED Module Gives Smooth Even Light
- 15W 3000K Warm White, 4000K Cool White, 5000K Day Light
- 50,000 Hour Life
- Wet Locations
- Dimensions: 7" x 3-1/2" x 10"
- S15WSAT/NS-LED(BK) (Battery Backup Unit Available)

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP12FBZ/WW/P	12W	3000K	1100	50,000 Hours	6 pcs	5-1/4" x 2-5/8" x 8-5/8"	80680215374-2	5 Years
LWP15BZ/DL/P	15W	5000K	2000	50,000 Hours	10 pcs	5.79" x 8.58" x 3.07"	68059658208-3	5 Years
LWP25BZ/CCT/P	26W	3000K/4000K/5000K	3380	50,000 Hours	10 pcs	5.79" x 8.58" x 3.07"	79357374992-5	5 Years
LWP15PCBZ-CCT/P	15W	3000K/5000K	1100	50,000 Hours	6 pcs	7.5" x 10" x 4.5"	80680215583-8	2 Years
LW11JJ/BL/P-LED	12W	3000K/4000K/5000K	800	50,000 Hours	6 pcs	5-7/8" x 4-1/2" x 8-1/4"	68059658187-1	2 Years
LWP17BZ/CCT/P	18W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	9.42" x 6" x 3.58"	68059658292-2	2 Years
S15WSAT/NS-LED	15W	3000K/4000K/5000K	1100	50,000 Hours	4 pcs	7" x 3-1/2" x 10"	68059658331-8	2 Years



LWP30FHZ-BZ/850

Small LED Wall Pack

- 29W Replace a 75/100W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell

LWP40FHZ/CCT
LWP60FHZ/CCT

LWP80FHZ/CCT



LWP120FHZ/CCT

CCT

Large LED Wall Pack

- 40/60/80/120W Replace a 100/150/250/300W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell



LWP467FCO/CCT


CCT

Full Cut Off Wall Pack

- Adjustable Wattage 45W/60W /75W
- Adjustable Color Settings 3000K, 4000K, and 5000K
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Suitable For Wet Location(IP65)
- DLC listed
- Includes Quick Disconnect Photocell



LWP30FCO/CCT



CCT

90° Pivoting Cut-Off LED Wall Light

- Replace a 100W MH Unit
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Instant-Start Electronic Unit
- Suitable For Wet Location(IP65)
- Includes Quick Disconnect Photocell



BK400OD



BK800OD

Bat Backup
Backup for All Wall Packs with A Knock out

Outdoor Battery Backup Module

- 4Watt & 8Watt, 320 to 480 Lumens Depending on Fixture's Lumens Per Watt
- Aluminum Diecast/Bronze Finish
- 90 Minute Emergency Operation
- For Units With Low Voltage, Accessible LED Drivers
- Not for DOB Units, Not for Non-Isolated Drivers



LWP12BZACEM-SDT/850

Emergency LED Wall Light

- Die-Casting Aluminum Housing
- Daily use 12W/1000 Lumen,
- Emergency Operation 4.8W/433Lumen 90 Minute Operation
- 120-277 Dual Voltages
- Polycarbonate Lens and Mirrored Reflector
- Rechargeable Ni-Cad Battery
- Suitable For Wet Location(IP65)

Model#	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (LxWxD)	UPC
LWP30FHZ-BZ/850	29W	75/100W	5000K	3625	50,000 Hours	1 pc	8.26"x7.24"x8.86"	80680215462-6
LWP40FHZ/CCT	40W	100W	3000K/4000K/5000K	4800	50,000 Hours	1 pc	10.75"x8.27"x7.60"	79357374998-7
LWP60FHZ/CCT	60W	150W	3000K/4000K/5000K	7200	50,000 Hours	1 pc	10.75"x8.27"x7.60"	79357374999-4
LWP80FHZ/CCT	80W	250W	3000K/4000K/5000K	9600	50,000 Hours	1 pc	14.37"x9.33"x7.36"	80680215548-7
LWP120FHZ/CCT	120W	300W	3000K/4000K/5000K	14400	50,000 Hours	1 pc	14.37"x9.33"x7.36"	68059658293-9
LWP467FCO/CCT	45/60/75W	100/150/200W	3000K/4000K/5000K	6770/8710/10580	50,000 Hours	1 pc	12.61"x6.86"x5.1"	80680215384-1
LWP30FCO/CCT	30W	100W	3000K/4000K/5000K	4050	50,000 Hours	1 pc	7.15"x4.56"x7.4"	80680215480-0
LWP12BZACEM-SDT/850	12W	N/A	5000K	1000	50,000 Hours	1 pc	10.4"x6.3"x3.86"	80680215629-3



LF15BZ/DL



LF30BZ/CCT



LF50BZ/CCT

LED Slim Flood Light(Knuckle Mount)

- Available in 15 Watt(5000K), 30 Watt & 50Watt (CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- Wall or Ground Mounting Standard 1/2" Thread
- Suitable For Wet Location



LF90BZ/CCT



LF150BZ/CCT

LED Flood Light (Trunion Mount)

- Adjustable CCT 3000K, 4000K, 5000K
- 90W 120-277V, 150W 100-277V
- Aluminum Rust-Proof Body
- Wall or Surface Mounting
- Suitable For Wet Location
- LF150BZ/CCT is Wattage Adjustable



LWP40CPF-D/CCT
LWP60CPF-D/CCT

LED Square Canopy Light

- 40 Watt & 60Watt(CCT & Wattage Adjustable)
- 120-277 Dual Voltages
- Aluminum Rust-Proof Body
- 0-10 Volt Dimmable Driver
- Suitable For Wet Location(IP65)
- Microwave Motion Sensor Internally Installed(Sold Separately)
- External Battery Backup Available BK400OD & BK800OD (Sold Separately)



C147RD-DISK/BZ
C2211RD-DISK/BZ



C147RD-DISK/NS
C2211RD-DISK/NS



C147RD-DISK/WH
C2211RD-DISK/WH

8" & 12" Flush Mount LED Round & Square

- 14 Watts 980 Lumen or 22Watts 1540 Lumen Output
- Available in Nickel Satin ,White and Bronze Finishes
- Indoor/outdoor Fixture, Only 1 Inch Thick
- Quick Install, Includes Earthquake Cable
- Available in 8" or 12" Diameter & Length
- Adjustable Color Settable 3000K Warm White, 3500K Bright Warm White and 4000K Cool White
- 35,000 Hour Life

*Future Unit will be CCT Adjustable



C147SQ-DISK/BZ
C2211SQ-DISK/BZ



C147SQ-DISK/NS *
C2211SQ-DISK/NS



C147SQ-DISK/WH
C2211SQ-DISK/WH *



INDOOR/OUTDOOR

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LF15BZ/DL	15W LED Flood Light Bronze Finish	15W	5000K	1620	50,000 Hours	10 pcs	5.35"x4.33"x1.5"	80680215582-1
LF30BZ/CCT	30W LED Flood Light Bronze Finish	30/20W	3000K/4000K/5000K	4050/2900	50,000 Hours	8 pcs	7.17"x8.58"x1.89"	80680215445-9
LF50BZ/CCT	50W LED Flood Light Bronze Finish	50/35W	3000K/4000K/5000K	6850/4795	50,000 Hours	6 pcs	8.49"x9.93"x1.93"	79357374915-4
LF90BZ/CCT	90W LED Flood Light Bronze Finish	90W	3000K/4000K/5000K	12600	50,000 Hours	1 pc	10.43"x11.26"x2.23"	80680215496-1
LF150BZ/CCT	150W LED Flood Light Bronze Finish	150/120/100W	3000K/4000K/5000K	21750/17400/14500	50,000 Hours	1 pc	11.45"x2.87"x13.11"	80680215497-8
LWP40CPF-D/CCT	40W LED Canopy Bronze Finish	40/30/20W	3000K/4000K/5000K	5000/3750/2500	50,000 Hours	4 pcs	8.03"x8.03"x3.66"	80680215363-6
LWP60CPF-D/CCT	60W LED Canopy Bronze Finish	60/40/25W	3000K/4000K/5000K	7500/5000/3125	50,000 Hours	4 pcs	10"x10"x4.17"	80680215364-3
C147RD-DISK/YY**	8" Round Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x1"	80680215368-1
C147SQ-DISK/YY**	8" Square Flush Mount Ceiling Fixtures Bronze Finish	14W	3000K/3500K/5000K	980	35,000 Hours	6 pcs	8"x8"x1"	80680215370-4
C2211RD-DISK/YY**	12" Round Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	11"x1"	80680215414-5
C2211SQ-DISK/YY**	12" Square Flush Mount Ceiling Fixtures Bronze Finish	22W	3000K/3500K/5000K	1540	35,000 Hours	6 pcs	11"x11"x1"	80680215415-2

YY(Stands for BZ=Bronze , NS=Nickel Satin or WH=White)**




 LWP24SQ-UPDN-BZ/830
 LWP24SQ-UPDN-BZ/850

Up And Down LED Square Wall Sconce

- Integrated 24Watt LED, 2100Lumen Output, 5000K Day Light or 3000K Warm White
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- Fixture Shoots Light Up and Down
- Outdoor Wet Locations Rated



CCT


 LWP24TUPDN-BZ/CCT
 LWP12TDN-BZ/CCT
 LWP12TDN-BLK/CCT

Up And Down LED Cylinder Wall Sconce

- Adjustable Color Settable 3000K, 4000K, 5000K
- Integrated 12/24Watt LED, 1200/1900Lumen Output
- Rugged Corrosion Resistant Cast Aluminum Housing and Tempered Glass Lens
- 12W Fixture Shoots Light Down, 24W Up and Down
- Outdoor Wet Locations Rated
- Model BZ=Bronze, BLK=Black



LW2ADS-LED

Low Voltage LED Address Light

- Use 85% Less Energy than Incandescent Unit
- Long Lasting 25,000 Hours Lamp (2 Included) Visible 115 Feet away
- Easy Hook-Up to Existing Door Bell Power
- Display up to 5 numbers


 SL-4818
 SL-24
 SL-24RGB
 SL48-15RGB


48 Ft & 24 Ft Regular and RGB LED String Light

- Wet Location Approved, Outdoor Weatherproof
- 48ft Includes 18 Bulbs (Spaced 2.5ft Apart), 24ft Includes 12 Bulbs (Spaced 2ft Apart)
- 48ft RGB Includes 15 Bulbs (Spaced 3.2ft Apart), 24ft RGB Includes 12 Bulbs (Spaced 2ft Apart)
- Link up to 26 Sets (24ft AC), 20 Sets (48ft AC), 3 Sets (24ft & 48ft RGB, DC)
- RGB Unit Comes With a Remote Control



SP1VZ/WH-BZ/830



SP1HZ/WH-BZ/830

LED Step Light 120V

- Integrated 2.5 Watt LED, 40 Lumen Output, 3000K Warm White
- White and Bronze Cover Plates Included in Each Package
- Glare Free Projects Light Downward
- Outdoor Wet Locations Rated

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxD)	UPC	Warranty
LWP24SQ-UPDN-8XX/BZ	24W	3000K, 5000K	2100	50,000 Hours	6 pcs	6.18"x 3.54"x 11.83"	806802155623	5 Years
LWP24TUPDN-BZ/CCT	24W	3000K/4000K/5000K	1900	50,000 Hours	6 pcs	6-7/8"x 4-1/4"x 11-7/8"	806802154046	2 Years
LWP12TDN-BZ/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	6-7/8"x 4-1/4"x 7-7/8"	806802156224	2 Years
LWP12TDN-BLK/CCT	12W	3000K/4000K/5000K	1200	50,000 Hours	6 pcs	6-7/8"x 4-1/4"x 7-7/8"	746160800431	2 Years
SL4818	0.5W/Per Bulb	3000K	-	15,000 Hours	4 pc	48'	746160800394	2 Years
SL-24	1W/Per Bulb	3000K	60/Per Bulb	15,000 Hours	4 pc	24'	806802155517	2 Years
SL-24RGB	0.6W/Per Bulb	RGB	-	15,000 Hours	4 pc	24'	806802156477	2 Years
SL48-15RGB	0.5W/Per Bulb	RGB	-	15,000 Hours	8 pc	48'	746160800059	2 Years
LW2ADS-LED	1.5W	4000K	40	25,000 Hours	10 pcs	10-1/8"x5-1/16"x2"	793573450197	3 Years
SP1VZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	2-3/4"x4-1/2"x1-1/2"	806802155005	2 Years
SP1HZ/WH-BZ/830	2.5W	3000K	40	25,000 Hours	10 pcs	4-1/2"x2-3/4"x1-1/2"	806802154992	2 Years

CCT



20 Watt Dual Color Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF
- Install Optical Lens to Convert 5000K to 3000K
- Adjustable ON Time
- Wall Mount with Standard Canopy, Aluminum Body
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out.

CCT



10 Watt Single Head Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF
- Adjustable ON Time
- Wall Mount with Standard Canopy, Aluminum Body
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out
- Install Optical Lens to Convert 5000K to 3000K

(Accessories)



Replacement Motion Sensor Unit

- For Use with Outdoor Lighting. This Includes Flood Lights, Security Lights, Area Lights, and More.
- Integrated Dusk to Dawn Photocell
- For Use with any Incandescent, CFL or LED Lamp
- Plastic Poly-Carbonate Unit.

CCT



20 Watt Dual Head Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Aluminum Body
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Photocell Kit Sold Separately
- White and Bronze Available
- Install Optical Lens to Convert 5000K to 3000K
- Also Available As A 3000K Unit

CCT



10 Watt Single Head Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Wall Mount with Standard Canopy, Aluminum Body
- Can be Used to Replace Existing Halogen Security Light
- Dawn and Dusk Photocell Kit Sold Separately
- Install Optical Lens to Convert 5000K to 3000K

CCT



20 Watt Motion Security LED Light

- Ideal for Driveways, Garages, Patios, Warehouse, Walkways, Parking Lots, and Recreational Areas
- Motion Activated Auto ON/OFF
- Adjustable Color Settable 2700K, 3000K, 3500K, 4000K, 5000K
- Adjustable ON Time
- Wall Mount with Standard Canopy, Plastic PC Body
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out.

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF10MH1-*/XX	10W	3000K/5000K	820	50,000 Hours	6 pcs	58286-1 White 58287-8 Bronze
LF20MH2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58264-9 White 58263-2 Bronze
LF20H2-*/XX	20W	3000K/5000K	1640	50,000 Hours	6 pcs	58262-5 White 58261-8 Bronze
LF10H1-*/XX	10W	3000K/5000K	820	50,000 Hours	6 pcs	58260-1 White 58259-5 Bronze
LF20PMH2-*/XX	20W	2700K/3000K/3500K/4000K/5000K	2000	50,000 Hours	8 pcs	74616080045-5 White 74616080044-8 Bronze
Model#	LED Indicator	Manual Override	Detection Zone	Adjustable Timer	Case Pack	UPC Prefix 680596
LFMS-WH	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58270-0
LFMS-BZ	Yes	Yes	180° & 70Ft	1-5-10 Minutes	6 pcs	58271-7


LF10MF1-BZ/DL
CCT

10 Watt Single Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 10 Watt LED Square Head 270° Motion Security Light
- Install Optical Lens to Convert 5000K to 3000K.
- Motion Activated On/Off
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 Feet Out.


LF20SMH3-WH/DL
 (White)

LF20SMH3-BZ/DL
 (Bronze)

CCT

20 Watt Triple Head Motion Security LED Light

- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- 20 Watt LED Square Head 270° Motion Security Light
- Install Optical Lens to Convert 5000K to 3000K.
- Motion Activated On/Off
- Wall Mount with Standard Canopy, Aluminum Body.
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 Feet Out.


LF6MH2-SLR-WH/DL

LF6MH2-SLR-BL/DL

Solar LED Motion Security Light

- Motion Activated Auto ON/OFF.
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational areas.
- Adjustable ON Time.
- Integrated Dusk to Dawn Photocell.
- 140° Motion Detection up to 26 feet out.
- Adjustable 3S or 7Mins On-Time When Motion is Detected


FM110PH2-WH
 (White)

FM110PH2-BZ
 (Bronze)

***Lamps Not Included**

110° Screw In Motion Security Fixture

- Dual Head 110° Screw In Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Poly Carbamate Body
- Ideal For Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational areas.
- Adjustable ON Time.
- Wall Mount with Standard Canopy.
- Integrated Dusk to Dawn Photocell.
- Motion detection up to 70ft Out.


FM180AH2-WH
 (White)

FM180AH2-BZ
 (Bronze)

***Lamps Not Included**

180° Screw In Motion Security Fixture

- Dual Head 180° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots, and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 Feet Out


FM270AH2-WH
 (White)

FM270AH2-BZ
 (Bronze)

***Lamps Not Included**

270° Screw In Motion Security Fixture

- Dual Head 270° Motion Security Fixture
- Operates LED, CFL, Halogen, and Incandescent Lamps
- Aluminum Body with Shade
- Ideal for Driveways, Garages, Patios, Warehouses, Walkways, Parking Lots and Recreational Areas
- Adjustable ON Time
- Wall Mount with Standard Canopy
- Integrated Dusk to Dawn Photocell
- Motion Detection up to 70 feet out

Model#	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions(LxWxH)	UPC
LF10MF1-BZ/DL	10W	3000K & 5000K	820	50,000 Hours	6 pcs	4-9/16" x 6-3/16" x 7-1/16"	68059658279-3
LF20SMH3-BZ/DL	20W	3000K & 5000K	1600	50,000 Hours	6 pcs	12-23/32" x 5-9/16" x 7"	80680215376-6
LF20SMH3-WH/DL	20W	3000K & 5000K	1600	50,000 Hours	6 pcs	12-23/32" x 5-9/16" x 7"	80680215375-9
LF6MH2-SLR-WH/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4" x 4.68" x 9.49"	68059658357-8
LF6MH2-SLR-BL/DL	9W	6500K	700	40,000 Hours	6 pcs	7.4" x 4.68" x 9.49"	68059658356-1
FM110PH2-WH *	-	-	-	-	6 pcs	9-1/2" x 4" x 6"	68059658319-6
FM110PH2-BZ *	-	-	-	-	6 pcs	9-1/2" x 4" x 6"	68059658320-2
FM180AH2-WH *	-	-	-	-	6 pcs	9-1/2" x 4" x 6-3/4"	68059658321-9
FM180AH2-BZ *	-	-	-	-	6 pcs	9-1/2" x 4" x 6-3/4"	68059658322-6
FM270AH2-WH *	-	-	-	-	6 pcs	13-1/2" x 7-1/4" x 10"	80680215407-7
FM270AH2-BZ *	-	-	-	-	6 pcs	13-1/2" x 7-1/4" x 10"	80680215406-0

* Bulbs not included. We recommend installing CTL PAR Lamps.



SMOOTH LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available
- Dimmable, 90CRI, Title 24, JA8-2019
- Adjustable Color Settable 2700K Warm White, 4000K Cool White, and 5000K Day Light. 3" MODEL is 5CCT
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Available in Multi Packs
- 4 inch and 6 inch Available in Matte Black Finish



BAFFLED LED RECESSED LAMP

- 3 inch, 4 inch, 6 inch kits Available
- Dimmable, 90CRI, Title 24, JA8-2019
- Adjustable Color Settable 3000K Warm White, 4000K Cool White, and 5000K Day Light. 3" Model is 5CCT
- Comes with Standard Quick Connect and E26 Screw in Base

ADJUSTABLE
LIGHT COLOR

**3000K
WARM WHITE**

**4000K
COOL WHITE**

**5000K
DAY LIGHT**

4&6 INCH CHANGING COLOR LED RECESSED CAN TRIM KITS

- 50,000 Hour Life, 5 Year Warranty
- Suitable for Indoor & Wet Locations
- 120V Input
- 3 CCT 3000K, 4000K, 5000K Controlled by the flip of the wall Switch
- 10W 700 Lumen Output
- Displays Available



Easy to Change Color
With Just a Flip of the Switch

Display Available



Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC8RT3-ECO/CCT	3 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	8W	2700K/3000K/3500K/4000K/5000K	500	35,000	6 pcs	4.19"x1.54"	793573-749185
LC8RT3-ECO-B/CCT	3 inch Dimmable, Baffled Retrofit Can Kit, 3CCT	8W	2700K/3000K/3500K/4000K/5000K	500	35,000	6 pcs	4.19"x1.54"	746160-800103
LC10RT4-S/CCT/**	4 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	10W	2700K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215611-8
LC10RT4-S3/CCT/**	4 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	10W	3000K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215615-6
LC10RT4-S-CCT-BLK	4 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	10W	2700K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215636-1
LC10RT4-B/CCT	4 inch Dimmable, Baffled Retrofit Can Kit, 3CCT	10W	3000K/4000K/5000K	800	50,000	4 pcs	5.12"x1.85"	80680215609-5
LC12RT6-S/CCT/**	6 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	12.5W	2700K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215612-5
LC10RT6-S3/CCT/**	6 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	10W	3000K/4000K/5000K	800	50,000	4 pcs	7.36"x1.97"	80680215616-3
LC12RT6-S-CCT-BLK	6 inch Dimmable, Smooth Retrofit Can Kit, 3CCT	12W	2700K/3000K/3500K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215637-8
LC12RT6-B/CCT	6 inch Dimmable, Baffled Retrofit Can Kit, 3CCT	12.5W	3000K/4000K/5000K	1000	50,000	4 pcs	7.36"x1.97"	80680215610-1
LC10RT4-345K	4 inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	3000K 4000K 5000K	700	50,000	6 pcs	5-1/2"x2-3/4"	80680215465-7
LC10RT6-345K	6 inch Dimmable, Baffled Retrofit Can Kit Warm White, Cool White, Day Light	10W	3000K 4000K 5000K	700	50,000	6 pcs	7-1/2"x3"	80680215466-4

**=Available in 1PK, 4PK, 6PK



LC12RT4-SQW/CCT

LC19RT6-SQW/WW

SQUARE LED RECESSED LAMP

- 4 Inch, 5&6 Inch Kits Available
- Dimmable, 90CRI
- 4 Inch Adjustable to 5CCT
- 6 Inch Available In 3000K Warm White
- Comes with Standard Quick Connect Plug and E26 Screw in Base
- Indoor and Wet Locations Use



LC9RT4-PIVOT/CCT

LC17RT6-PIVOT/WW

PIVOTING LED RECESSED LAMP

- 4 inch, 5&6 inch kits Available
- Dimmable, 90CRI
- 4 Inch Adjustable to 5CCT
- 6 Inch 3000K Warm White
- 5 Year Warranty
- Comes with Standard Quick Connect Plug and E26 Screw in Base


 LC7PAR16-ECO/WW
 LC7PAR16-ECO/DL

HIGH PERFORMANCE LED PAR16 REFLECTOR LAMP

- Replace Halogen PAR16(50Watts) Lamp
- Dimmable, 90CRI
- 4 Inch LED Pivoting Drop Down Lamp
- For 3 & 4 Inch Trims
- 7Watts, 500 Lumen Output, 3000K Warm White & 5000K Day Light



CCT

6" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 250 Watt Equivalent
- Dimmable, 90CRI
- 27 Watt LED 2700lumens Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed



CCT

8" ARCHITECTURAL LED TRIM KIT & CAN

- Adjustable Color Settable 3000K Soft Warm White, 3500K Bright Warm White and 4000K Cool White
- 400 Watt Equivalent
- Dimmable, 90CRI
- 40 Watt LED 4000lumens Output
- 120-277V, 50,000 Hour Life
- Installs Directly to Ceiling Drywall, No Frame Needed

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC12RT4-SQW/CCT	4 Inch Dimmable Square, Retrofit Can Kit 5CCT	10W	2700K/3000K/3500K/4000/5000K	700	50,000	6 pcs	5-1/8"x3"	680596-581697
LC19RT6-SQW/WW	5&6 Inch Dimmable Square, Retrofit Can Kit Warm White	15W	3000K	1000	35,000	6 pcs	7-5/16"x3-1/2"	680596-581703
LC9RT4-PIVOT/CCT	4 Inch Dimmable, Pivoting Retrofit Can Kit, 5CCT	9W	2700K/3000K/3500K/4000/5000K	650	50,000	6 pcs	5.51"x5.52"	793573-747990
LC17RT6-PIVOT/WW	6 Inch Dimmable, Pivoting Retrofit Can Kit Warm White	17W	3000K	1250	25,000	6 pcs	7-1/2"x3-1/2"	793573-749307
LC7PAR16-ECO/WW	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	3000K	500	25,000	6 pcs	1-31/32"x2-7/32"	793573-749840
LC7PAR16-ECO/DL	7W 3&4 Inch Recess Trim PAR16 Retrofit Lamp Kit	7W	5000K	500	25,000	6 pcs	1-31/32"x2-7/32"	680596-582359
LC27RT6-AR/CCT	8 Inch, Retrofit Can Kit, Aluminum Reflector, 3CCT	27W	3000K/3500K/4000K	2700	50,000	8 pcs	7.48"x5.9"	680596-581826
LC40RT8-AR/CCT	8 Inch, Retrofit Can Kit, Aluminum Reflector, 3CCT	40W	3000K/3500K/4000K	4000	50,000	4 pcs	9.25"x7.12"	793573-749789



CCT

4" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 3000K Warm White 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

*Future Model 5 CCT



CCT

6" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 3000K Warm White 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

*Future Model 5 CCT



CCT

8" Slim Recessed LED Down Light with J-BOX

- Adjustable Color Settable 3000K Warm White 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

4" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim



CCT

6" LED Pivoting Down Light with J-BOX

- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim

CCT

CCT

Baffled Recessed LED Down Light with J-BOX

- 4 Inch & 6 Inch Kits Available
- Adjustable Color Settable 2700K Soft Warm, 3000K Warm White, 3500K Bright Warm White, 4000K Cool White and 5000K Day Light
- Dimmable, 90CRI, Title 24
- 50,000 Hour Life
- Easy Installation, J-BOX can be Installed Prior to Trim




Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-NCBX/CCT	4 Inch Dimmable, Slim Recessed Down Light With J-BOX, 3CCT	10W	3000K/4000K/5000K	670	50,000	6 pcs	4.8"x2.08"	806802-156064
LC12RT6-NCBX/CCT	6 Inch Dimmable, Slim Recessed Down Light With J-BOX, 3CCT	12W	3000K/4000K/5000K	850	50,000	6 pcs	6.81"x1.73"	806802-156071
LC24RT8-NCBX/CCT	8 Inch Dimmable, Slim Recessed Down Light With J-BOX, 3CCT	24W	3000K/4000K/5000K	1800	50,000	6 pcs	8.58"x1.18"	806802-156088
LC9RT4-NCBXPVT/CCT	4 Inch Dimmable, Pivoting Down Light With J-BOX, 5CCT	9.5W	2700K/3000K/3500K/4000K/5000K	700	50,000	6 pcs	4.92"x0.93"	806802-156248
LC12RT6-NCBXPVT/CCT	6 Inch Dimmable, Pivoting Down Light With J-BOX, 5CCT	15W	2700K/3000K/3500K/4000K/5000K	900	50,000	6 pcs	7-1/8"x2"	806802-156316
LC10RT4-BNBXCCT	4 Inch Dimmable, Baffled Retrofit Can Kit, 5CCT	10W	2700K/3000K/3500K/4000K/5000K	800	50,000	6 pcs	5.51"x2.03"	746160-800080
LC15RT6-BNBXCCT	6 Inch Dimmable, Baffled Retrofit Can Kit, 5CCT	15W	2700K/3000K/3500K/4000K/5000K	1250	50,000	6 pcs	7.36"x2.03"	746160-800097



CCT

4&6 INCH DIRECT MOUNT DOWNLIGHT

- Wet Locations
- Suitable for Indoor & Wet Locations
- 50,000 Hour Life Time
- Standard Knockout for Romex or Conduit Connection
- 3000K & 5000K Adjustable



CCT

EASY INSTALLATION
NO CAN OR J-BOX NEEDED!



CCT

4" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 3.5" - 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 10W 600 Lumen Output, 90CRI
- 3000K, 4000K, 5000K CCT Adjustable
- Auto On When Motion Sensed/Off After 2 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements



6" LED MOTION SENSING DOWN LIGHT DISK

- Mounts Directly onto a 3.5" - 4" Octagon J-box
- Indoor and Outdoor Wet Locations Use
- 15W 900 Lumen Output, 90CRI, 3000K Warm White
- Auto On When Motion Sensed/Off After 2 Minutes if No Motion Sensed
- Meets NFPA70, NEC Section 410.16C(1) Requirements
- **Future unit will be CCT adjustable**



4 INCH LED TRIM DISK

- Mounts Directly Onto a J-box
- Dimmable, 90CRI, Title24
- Available in 3000K Warm White
- Indoor and Wet Locations Use
- 10W 647 Lumen Output



LC20RT6-DISK/WW
 LC20RT6-DISK/DL



LC13RT6-DISK-930

6 INCH LED TRIM DISK

- Mounts Directly Onto a J-box
- Dimmable, 90CRI, Title24
- Available in 3000K Warm White, or 5000K Day Light
- Indoor and Wet Locations Use
- 13W 900 Lumen Output, 3000K Only



LC-BAT-BACKUP

DOWNLIGHT BATTERY BACKUP

- Runs Fixtures for 90 Minutes
- External Battery Backup
- Connects To Downlight Driver
- Operates Downlights that are 15W and Below
- Can Also be used to Backup T8 Tubes
- Installs Remotely from Fixtures

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
LC10RT4-JBX/2CCT	4 Inch Remodel J-Box Can Warm White	10W	3000K/5000K	700	50,000	4	5"x2.36"	80680215557-9
LC14RT6-JBX/2CCT	6 Inch Remodel J-Box Can Warm White	14W	3000K/5000K	1000	50,000	4	6.89"x2.36"	80680215558-6
LC60RT4-DISK-MS/CCT	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor 3CCT	10W	3000K/4000K/5000K	600	25,000	12	6.9"x1.1"	80680215545-6
LC90RT6-DISK-MS/WW	3.5"-4" J-Box Downlight Disk With PIR Motion Sensor Warm White	15W	3000K	900	50,000	12	8"x1-3/8"	80680215565-4
LC11RT4-DISK/WW	2.75"-3.5" J-Box Dimmable Surface Mount Ceiling Disk Warm White	10W	3000K	647	50,000	6	6"x2-3/8"	680596-58225-0
LC13RT6-DISK-930	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk Warm White	13W	3000K	900	50,000	6	7-15/32"x1-3/16"	80680215605-7
LC20RT6-DISK/WW	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk Warm White	15W	3000K	1000	50,000	6	7-1/2"x2-7/16"	793573-749291
LC20RT6-DISK/DL	3.5"-4" J-Box Dimmable Surface Mount Ceiling Disk Day Light	15W	5000K	1000	50,000	6	7-1/2"x2-7/16"	80680215560-9



R3RMLED

R3NCLED

3" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R4RMLED-IC

R4NCLED-IC

4" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMLED-IC

R6NCLED-IC

6" Dedicated LED Recess Cans

- New Construction and Remodel Housing
- Brackets Come with Pre Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated

6" Shallow LED Can

- New Construction and Remodel Housing
- Brackets Come with Pre-Installed Nails(NC)
- Adjustable Brackets & Standard LED Plug
- Aluminum Material for Better Heat Dissipation of LED Fixtures
- IC Rated



R6RMSLED-IC

R6NCSLED-IC

Model#	Description	LED Wattage	Kelvin Color	Lumens	Lamp Life	Case Pack	Dimensions (DxH)	UPC
R3RMLED	3 Inch Remodel Can	N/A	N/A	N/A	N/A	6	3"	793573-74924-6
R3NCLED	3 Inch New Construction Can	N/A	N/A	N/A	N/A	6	3"	793573-74923-9
R4RMLED-IC	4 Inch Remodel Can	N/A	N/A	N/A	N/A	6	4"	793573-74844-7
R4NCLED-IC	4 Inch New Construction Can	N/A	N/A	N/A	N/A	6	4"	793573-74842-3
R6RMLED-IC	6 Inch Remodel Can	N/A	N/A	N/A	N/A	6	6"	793573-74845-4
R6NCLED-IC	6 Inch New Construction Can	N/A	N/A	N/A	N/A	6	6"	793573-74843-0
R6RMSLED-IC	Remodel Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58266-3
R6NCSLED-IC	New Construction Short Can	N/A	N/A	N/A	N/A	6	6"	680596-58265-6



LB13R30PL-V/CW

LB11PL-H/WW
LB11PL-H/CW

LB7PL-M/WW
LB7PL-M/CW

LED Replacement 2 Pin & 4 Pin Lamps

- Works with Existing Electronic CFL Ballast or 120/277V Direct Wire
- Two Color Temperature Options: 2700K Warm White & 4000K Cool White
- Replaces 13 Watt, 18 Watt, and 26 Watt CFL Lamps
- LB13R30PL-V Includes Extender for use with Deep Cans

NEW: LB11PL-H Will Have 4-Sided Light Output
NEW: 3CCT Version of the R30 Available in the Future



LB40A-D/WW

LB60A-J-D/WW
LB60A-D/WW

LB75A-D/WW

LB100A-D/WW

LED Standard A Lamps

- 40 Watt, 60 Watt, 75 Watt, and 100 Watt Replacement Available
- Available in Dimmable or Non-Dimmable Versions
- Two Color Temperature Options: 5000K Day Light and 2700K Warm White
- Saves 90% Energy Compared to Halogen
- Multipack Options Available As Well
- LB60A-J-D MODEL IS JA8



LB50PAR20-D/WW

LB75PAR30-D/WW

LB120PAR38-D/WW

LED PAR Lamps

- Three Size Options: Par20, Par30, Par38
- 50 Watt, 75 Watt, and 120 Watt Replacement Lamps Available
- Two Color Temperature Options: 3000K Warm White, 5000K Day Light
- Suitable for Wet Locations
- Dimmable
- Short Neck Available (LB75PAR30SS)



LB50R20-D/WW

LB75R30-D/WW

LB65R30-WWBK

LB90R40-D/WW

LED R Lamps

- Three Size Options: R20, R30, R40
- 50 Watt, 65Watt, 75 Watt, 90 Watt Replaceable Lamps Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light
- Power Failure Battery Backup Bulb Available
- Dimmable, Except Battery Backup Bulb



LB60G25-D/WW/2PK

LB60FG25-D/WW/2PK

G25 LED GlobeLamps

- Dimmable
- 15,000 Hour Lamp Life
- Available in 2700K Warm White
- 60 Watt Replacement
- Clear & Frosted
- Multi-Pack



LB250GB/CW

LED Ultra-Bright Garage Light

- Replaces 250 Watt Incandescent Lamps
- 40 Watt, 3000 Lumen Brightness
- Instant On, High Power LED Bulb
- Multi-Use: Use it with Flaps Up or Down
- Diffused Lens to Reduce Glare
- Not Dimmable
- Base Extender Included



LB125A21-D/WW
LB125A21-D/DL



LB150A21-D/WW
LB150A21-D/DL

LED High Lumen A Lamp(A21)

- 125Watt Replacement Available, 2000 Lumens
- 150Watt Replacement Available, 2550-2600 Lumens
- Dimmable
- 2700K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB200A23-D/WW
LB200A23-D/DL

LED High Lumen A Lamp(A23)

- 200Watt Replacement Available, 3005-3200 Lumens
- Dimmable
- 2700K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB100A-3WAY/WW
LB100A-3WAY/DL



LB150A-3WAY/WW
LB150A-3WAY/DL

LED 3Way Lamp

- 40/60/100Watt Replacement Available, 500/800/1600 Lumens(A19)
- 50/100/150Watt Replacement Available, 620/1600/2150 Lumens(A21)
- 3000K Warm White & 5000K Day Light
- Saves 90% Energy Compared to Halogen



LB18CB/**



LB36CB/**



*LB54CB/**



LB120CB/850

LED Heavy Duty Corn Bulbs

- Instant on High Power LED Bulb
- 18W, 36W, 54W(Both E26, E39 Base)
- 120W E39 Base, 5000K Day Light
- 3000K Warm White, 5000K Day Light Available for 18W, 36W, & 54W
- 75 Watt, 150 Watt, 200 Watt, 400 Watt HID Replacement

*LB54CB is CCT & Watt Adjustable



LB45TB/DL



LB90TB/DL

LED High Power Bulb Boss T- Bulbs

- Instant on High Power LED Bulb
- 45Watt 5400 Lumen, 90Watt 10800 Lumen
- 45Watt E26 Base, 90Watt E39 Base
- 350,500 Watt Incandescent Lamp Replacement
- 5000K Day Light
- Wet Location Rated



LB54HCB/850

180° LED Retrofit Lamp for Shoe Box & Wall Packs

- Integrated 54 Watt LED, 5900 Lumen Output, 5000K Day Light
- Comparable to 175 Watt MH or HPS Lamp
- 90% More Efficient Than Halogen
- Magnesium Alloy Heat Sink. Second Generation Optics on Chips
- Direct Power 120/277V
- Ratcheting E39 Base



LB5A/**

LED Party Bulbs

- Yellow Color Lamp Acts As a Bug Lamp
- Available In Blue, Green, Red, Yellow and Orange
- 5 Watt Replaces 40 Watt
- 15,000 Hour Lamp Life (Black Light Lamp Also Available)



LB514-VINT/22K

LB4FCN-VINT/22K

LB60G25-VINT/21K

LB4T10-VINT/21K

LB4A-VINT/21K

Vintage LED Lamps

- Available in 4 Different Shapes
- Instant on, Instant Bright, Last Up to 15,000 Hours
- No UV or Infrared Radiation
- 2100K Warm White
- Filament LED Chip Gives Incandescent Glow
- Bulb is Tinted Amber for Vintage Look



LB60G16-D/WW/2PK

LB40G16-D/WW/2PK

LB40CA-D/WW/2PK

LB10S14-WW/2PK

LB60CAST21-WW/3PK

Clear LED Lamps

- 2700K Warm White
- Filament LED Chip Gives Incandescent Glow
- Available in Standard, Globes, and Candle Lamp Shapes
- 15,000 Hour Lamp Life



LB25FCNC-D/WW
LB40FCNC-D/WW
LB60FCNC-D/WW

LB40FCNC-D/WW-4PK

LB40TCC-DE12WW2PK
LB60TCC-DE12WW2PK
LB100TCC-DE12WW2PK

LB25TCNC-D/WW/2PK
LB40TCNC-D/WW/2PK
LB60TCNC-D/WW/2PK

LED Candle Lamps

- Replaces 25Watt, 40 Watt & 60 Watt Incandescent
- Save 80% of Existing Energy
- 2 Year Warranty
- 15,000 Hour Lamp Life
- 2700K Warm White
- Dimmable
- Available in two shapes, Torpedo & Flame Tip
- Multi Pack Options



LB40TCNF-D/WW-2PK

LB40FCNF-D/WW-2PK

LED Frosted Candles

- Replaces 40 Watt Incandescent
- Save 80% of Existing Energy
- 2 Year Warranty
- 15,000 Hour Lamp Life
- 2700K Warm White
- Dimmable
- Available in two shapes, Torpedo & Flame Tip
- Available in 2-Pack



LB25MR16-WW*

LB35MR16-D/WW

LB45MR16-D/WW
LB50MR16-D/WW

MR16 LED Lamps

- 15,000 Hour Lamp Life
- 25 Watt, 35 Watt, 45 Watt, 50 Watt Replacement Available
- Two Color Temperature Options: 3000K Warm White & 5000K Day Light

* Colored MR16's Available



LB35GU10-D/WW

LB50GU10-D/WW*

GU10 LED Lamps

- Dimmable
- 25,000 Hour Lamp Life
- 35 Watt, 50 Watt Replacement Available
- (LB35GU10-D/WW) 5.5 Watt, 350 Lumens
- (LB50GU10-D/WW) 7 Watt, 500 Lumens
- Available in 3000K Warm White and 5000K Day Light*





LB60A-GU24/WW
LB60A-GU24/DL



LB100A-GU24/WW
LB100A-GU24/DL

LED GU24 Pin Base A Lamp

- Not Dimmable
- 15,000 Hour Lamp Life
- 60Watt, 100Watt Replacement
- 9Watt (800 Lumens), 15Watt (1600 Lumens)
- Available in 3000K Warm White and 5000K Day Light



LB35T7-E17-WW

LED Appliance Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 3 Watt Replaces 35 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- E17 Base
- For Use in Appliances, Refrigerator, and More



LB50MCAN-WW



LB75MCAN-WW

LED Mini Can Bulb(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt(600 Lumens) Replaces 50 W Halogen
- 7 Watt(770 Lumens) Replaces 75 W Halogen
- 3000K Warm White
- 360 Degree Beam Angle
- E11 Base
- For Use in Hanging Lamps, Ceiling Fans, Pendants, and More



LB40G8-WW
LB40G8-DL

LED G8 Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 4 Watt Replaces 40 W Halogen
- 3000K Warm White & 5000K Day Light, 480 Lumens
- 360 Degree Beam Angle
- GY8.6 Base
- For Use in Under-Cabinets, Outdoor Security, Pendants, and More



LB50GY635-WW
LB50GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 5 Watt Replaces 50 W Halogen
- 3000K Warm White & 5000K Day Light, 500 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



LB75GY635-WW
LB75GY635-DL

LED JCD Lamp(120V)

- Dimmable
- 15,000 Hour Lamp Life
- 6 Watt Replaces 75 W Halogen
- 3000K Warm White & 5000K Day Light, 700 Lumens
- 360 Degree Beam Angle
- GY6.35 Base
- For Use in Wall Sconces, Hanging Lights, Pendants, and More



1-15/16"

LB3G9-WW



LB50G9-WW

G9 LED Lamp(120V)

- 15,000 Hour Lamp Life
- 25 & 50Watt Halogen Replacement
- 280 Lumens, 600 Lumens
- 3000K Warm White
- For Use in Wall Sconces, Hanging Lights, Pendants, and More

For use in



Flood Light
and More



LB60J78/WW

Halogen J78 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 5 Watt Replaces 60 W Halogen
- 3000K Warm White, 550 Lumens
- 360 Degree Beam Angle
- RS7 Base



FLOOD LIGHT



LB150J118/WW

Halogen J118 Replacement Lamp(120V)

- 15,000 Hour Lamp Life
- 10 Watt Replaces 150 W Halogen
- 3000K Warm White, 1000 Lumens
- Dimmable



LANDSCAPE
LIGHT



NUMBER
SIGNS



LB1T5-WB/WW

Auto/RV Wedge Base LED Lamp(12V)

- 12,000 Hour Lamp Life
- 2 Watt Replaces 30 Watt Halogen
- 3000K Warm White, 200 Lumens



LB1JC/WW
LB1JC/CW*



LB4JC/WW



STEP
LIGHT PENDANT

G4 LED JC Lamps(12V)

- Lamps Fit in Task Lights, Puck Light, Stairways, and Pendants
- 15,000 Hour Lamp Life
- 3000K & 4000K*
- 10 Watt, 30 Watt Replaceable
- 115 Lumens, 300 Lumens



LB2PK/WW

G4 LED Puck Lamp(12V)

- 12,000 Hour Lamp Life
- 2 Watt, 120 Lumens
- 15 Watt Replaceable Unit
- 180° Beam Angle
- For Use in Hockey Pucks & Under-Cabinet Lighting



BA15D
BASE BA15S
BASE



LB3GBK/WW



LB2GBF/WW



LB21383/WW

LED Elevator Lamps(12V)

- 25,000 Hour Lamp Life
- Replace 15 Watt 1383 and Gbf, 25 Watt BK Incandescent Lamps
- 3000K Warm White



BA15S
BASE



LB4BAYN/WW

LED Auto/RV Lamp(12V)

- 25,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 300 Lumens
- 300° Beam Angle
- For Use in Landscape Light, Autos, RV, & Boats



LB1S8-1156/WW



120°
BEAM ANGLE
BA15S Base

S8 LED Lamp(12V)

- 15,000 Hour Lamp Life
- 12Volts AC/DC
- 3000K Warm White, 150 Lumens
- 120° Beam Angle
- For Use in Autos, RV, & Boats



LB24T8-PNP/8**

Plug-N-Play or Direct Wire LED T-8 Tubes 2Ft

- Plug-N-Play Units Run on Rapid Start, Instant Start, Program Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 2 Foot Length
- Three Color Temperature Options: 5000K Daylight, 4000k Cool White, 3000K Warm White.
- DLC Listed



LB48T8-XPNP/8**

Available in 2-Pack

Plug-N-Play or Direct Wire LED T-8 Tubes 4Ft

- Plug-N-Play Units Run on Instant Start & Magnetic Ballasts
- Can Also be Direct Wired 120-277V
- 4 Foot Length
- Three Color Temperature Options: 5000K Daylight, 4000k Cool White, 3000K Warm White.
- DLC Listed
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LB46T5-PNP/8**

Plug-N-Play LED T-5 Tubes

- Operates on Most Fluorecent Ballast, Program Start
- 46" Length
- Two Color Temperature Options: 5000K Daylight, 4000K Cool White
- DLC Listed
- Cannot be Direct-Wired



LB48T8-DIR/840

Direct Wire 120-277V LED T-8 Tubes 4Ft

- 2' or 4' Lengths
- 4000k Cool White
- 2 Foot tube is 9W and 1100 Lumens
- 4 Foot tube is 15W and 2100 Lumens
- Aluminum End Caps Prevent Tube from Melting or Damaging Fixtures



Plug-N-Play or Direct Wire LED T-8 Tubes 8Ft

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 8 Foot Length
- 4000K Cool White
- DLC Listed
- This Lamp Has A Safety Fuse to Protect Against Over Heating
- 2-Pin Conversion Kit Available



LB96T8-PNP/840

Comes in 4ft Package

Plug-N-Play or Direct Wire LED T-8 U6 Tubes 4Ft

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V
- 4 Foot Length
- 4000K Cool White
- DLC Listed
- This Lamp Has A Safety Fuse to Protect Against Over Heating



LB24T8-U/840

Future Model: (LB24T8-U/CCT)

Plug-N-Play or Direct Wire LED T-9 Circular Lamp

- Plug-N-Play Units Run on Instant Start Ballast
- Can Also be Direct Wired 120-277V (Type A+B Wiring Option)
- 8 Inch & 12 Inch Adjustable Color Settable 3000K Warm White, 4000K Cool White, and 5000K Day Light
- Use it with a Standard Circleline Plug



LBFC8LED-CCT





LBFC12LED-CCT

DISPLAYS AVAILABLE



Interior Dividers



SOCKETS



FP-T812LH



FP-2612CS



FP-1226CS



FP-GUCS



IB250R40RDHL
IB250R40RDHL/2PK

INCANDESCENT HEAT LAMP(RED)

- 250 Watt R40 Infrared Red Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack



IB250R40CLHL
IB250R40CLHL/2PK

INCANDESCENT HEAT LAMP(CLEAR)

- 250 Watt R40 Infrared Clear Reflector
- Ideal For Heating: Bathrooms, Animal Habitats, Use As Food Warmers, & More
- Indoor Use Only
- E26 Brass Base
- 5,000 Hour Lamp Life
- 180 Degree Beam Angle
- Available in 1-pack Or 2-Pack


CCT
Dimmable

Linking Switch Box Sold Separately


Adjustable Color Under-Cabinet Fixture


- 1" Thin LED Dimmable Under - Cabinet and 4" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 3Watts, 12 Inch 5Watts, 18 Inch 8Watts, 24 Inch 12Watts, 32 Inch 16Watts, 40 Inch 20Watts
- Adjustable Color Temperature Under-Cabinet Fixture 3000K & 4000K & 5000K in One Unit
- Title24, 90 CRI


CCT
Dimmable

Linking Switch Box Sold Separately


Dual Color LED Under-Cabinet Task

- 1" Thin LED Dimmable Under - Cabinet and 5" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Plug in or Hard Wire and Linking Connector Included
- 9 Inch 5Watts, 12 Inch 6Watts, 18 Inch 9Watts, 24 Inch 11Watts, 33 Inch 13Watts, 42 Inch 16Watts Available
- Warm White 3000K, 4000K Cool White Adjustable
- Title24, 90 CRI


CCT
Dimmable
Hard Wire Dual Color Under-Cabinet Fixture

- 1" Thin and 3.5" Wide
- 25,000 Hour Lamp Life
- Powder Coated White Finish
- Dual Color 3000K & 4000K Adjustable


Switch Boxes

- Available for 4 Inch Tri-Color Under-cabinet & 5 Inch Dual-Color Under-cabinet Fixtures

12" Linking Cords (2 Per Pack)

- For 4" Tri-Color Under-cabinet Fixtures
- For 5" Dual-Color Under-cabinet Fixtures

Model#	Description	Wattage	Replace Halogen	Case Pack	Lumens	Dimensions (LxWxH)
UL094-DCT	9" 3 Watt LED Lamp With Switch White Finish, Dimmable	3Watt	25Watt	6	170	9"x3-5/8"x1"
UL124-DCT	12" 5 Watt LED Lamp With Switch White Finish, Dimmable	5Watt	35Watt		270	12"x3-5/8"x1"
UL184-DCT	18" 8 Watt LED Lamp With Switch White Finish, Dimmable	8Watt	75Watt		450	18"x3-5/8"x1"
UL244-DCT	24" 12Watt LED Lamp With Switch White Finish, Dimmable	12Watt	100Watt		650	24"x3-5/8"x1"
UL324-DCT	32" 16Watt LED Lamp With Switch White Finish, Dimmable	16Watt	125Watt		880	32"x3-5/8"x1"
UL404-DCT	40" 20Watt LED Lamp With Switch White Finish, Dimmable	20Watt	150Watt		1100	40"x3-5/8"x1"
UL095-D/WH	9" 5 Watt LED Lamp With Switch Dimmable	5Watt	25Watt		250	9"x5"x1-1/8"
UL125-D/WH	12" 6 Watt LED Lamp With Switch Dimmable	6Watt	50Watt		310	12"x5"x1-1/8"
UL185-D/WH	18" 9 Watt LED Lamp With Switch Dimmable	9Watt	75Watt		540	18"x5"x1-1/8"
UL245-D/WH	24" 11 Watt LED Lamp With Switch Dimmable	11Watt	100Watt		650	24"x5"x1-1/8"
UL335-D/WH	33" 13 Watt LED Lamp With Switch Dimmable	13Watt	125Watt		750	33"x5"x1-1/8"
UL425-D/WH	42" 16 Watt LED Lamp With Switch Dimmable	16Watt	150Watt		880	42"x5"x1-1/8"
UL093-DCT	9" 4 Watt LED Lamp With Switch Dimmable	4Watt	25Watt	6	310	9"x3-1/2"x1"
UL123-DCT	12" 5 Watt LED Lamp With Switch Dimmable	5Watt	50Watt		380	12"x3-1/2"x1"
UL183-DCT	18" 8 Watt LED Lamp With Switch Dimmable	8Watt	75Watt		620	18"x3-1/2"x1"
UL243-DCT	24" 10 Watt LED Lamp With Switch Dimmable	10Watt	100Watt		820	24"x3-1/2"x1"
UL343-DCT	34" 15 Watt LED Lamp With Switch Dimmable	15Watt	125Watt		1200	34"x3-1/2"x1"
UL423-DCT	42" 20 Watt LED Lamp With Switch Dimmable	20Watt	150Watt		1550	42"x3-1/2"x1"

**YY= Available in 09, 12, 18, 24, 33, 42

***ZZ= Available in 09, 12, 18, 24, 32, 40

****RR= Available in 09, 12, 18, 24, 34, 42



LED Slim Under-Cabinet Light

- 18" 9 Watt and 24" 11 Watt LED Strip Available, 24" Grow Light*
- Cool to the Touch
- Super-Bright LEDs Last up to 25,000 Hours
- Easy Installation, Slim Design
- Cool White 4000K (Except Grow Light)
- Includes Cord & Switch



LED Linkable Task Strip Light

- Low, 3/4" Wide T5 Profile. Ideal for Tight Space Application
- Includes On/Off Switch
- Linkable up to 20 Units
- Includes 6 Ft Power Cord, Linking Connector, and Hardwire Box
- 12 Inch, 5 Watt Lamp and 24 Inch 10 Watt Sizes Available
- ULST1-HWS is a Hard Wire Connection Box with Switch
- & 3 Inch Link. (Sold Separately)



LED Linkable Task Strip Light

- 12" 4.3 Watt, 16" 6 Watt and 24" 10Watt LED Strip Available
- Cool to the Touch
- Super-Bright LEDs Last up to 30,000 Hours
- Easy Installation Slim Design, Linkable up to 30 Units (4.3W), 13 Units (6W) and 10 Units (10W)
- Warm White 3000K, 90 CRI
- Includes Cord & Switch



24" & 48" LED Light Strip

- 24" 10 Watt, 48" 18 Watt LED
- LEDs Last up to 20,000 Hours
- Cool White 4000K
- 24" 5 Ft Cord & Switch on Units and Cap
- 48" 8 Ft Cord with Inline Cord Switch

Model#	Description	Wattage	Replace Halogen	Case Pack	Lumens	Dimensions (LxWxH)
UL18ST3/CW	18" 9Watt LED Under-Cabinet Complete Cord & Switch	9Watt	N/A	6	585	18"x1.9"x3/8"
UL24ST3/CW	24" 11Watt LED Under-Cabinet Complete Cord & Switch	11Watt	N/A		780	24"x1.9"x0.75"
UL24ST3/GROW	24" 11Watt LED Grow Light Unit Complete Cord & Switch	11Watt	N/A		N/A	24"x1.9"x0.75"
UL12ST1/WW	12" 5 Watt LED Lamp With Switch, White Finish	5Watt	25Watt	50	350	12"x3/4"x1-1/4"
UL24ST1/WW	24" 10 Watt LED Lamp With Switch, White Finish	10Watt	75Watt		700	24"x3/4"x1-1/4"
ULST1-HWS	Hardwire Connection Box With Switch & 3" Link	N/A	N/A	50	N/A	4"x2-3/8"x1"
UL12ST2/WW	12" 4Watt LED Stick Light Unit Complete Cord & Switch	4.3Watt	N/A	6	200	12"x1.26"x0.7"
UL16ST2/WW	16" 6Watt LED Stick Light Unit Complete Cord & Switch	6Watt	N/A		300	16"x1.26"x0.7"
UL24ST2/WW	24" 10Watt LED Stick Light Unit Complete Cord & Switch	10Watt	N/A		650	24"x1.26"x0.7"
UL-2400	24" 10W LED Light String 5' Cord	10Watt	N/A	12	1000	23.62"x1.67"x1.85"
UL-4800	48" 18W LED Light String 5' Cord	18Watt	N/A	12	2000	47.27"x1.67"x1.85"



UL3PK/WH
(White)



UL3PK/NS
(Nickel Satin)

3 PACK LED PUCK LIGHT KIT

- Three 1.8W LED Pucks Included
- 15,000 LED Life
- Low Voltage System
- 80% Energy Saving Over Halogen
- Snap Off Base Ring For Recess Mount With in 3/4" Cabinet Wall
- Surface or Recess Mount
- Instant on Kit Included
- White and Nickel Satin Colors Available

COMES WITH

Power Supply	3 Jumpers 1Pcs 6 Inch 2Pcs 12 Inch
In Line Switch	48" Or 96" Strip

48" & 96" Tape Light Kit

Flexible LED Tape Light Kit

- Low Voltage Safe to the Touch
- Pull Off Tape Backing and Stick Any Where
- Flexible Strip can be Curved 90°
- Cut and Jump Sections
- 25,000 Lamp Life
- Warm White



RGB TAPE LIGHT KIT

- Low Voltage Safe to The Touch
- Pull Off Tape Backing And Stick Anywhere
- Flexible Strip can be Curved 90°
- Can be Cut to Shorter Length
- 25,000 Lamp Life
- 10 Foot RGB Strip
- RGB Controller Included



Model#	Description	Wattage	Incandescent Equivalent	Lumens	CRI	Lamp Life	Case Pack	Dimensions (LxWxD)	Kelvin Color	UPC Prefix 793573
UL3PK/WH	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52542-0
UL3PK/NS	3x2W LED Hockey Puck Light	2W	20W	150	≥80	15,000	6	2-3/4"x9/16"	3000K	52541-3
UL487TP/WW	48" LED Tape Light Kit Warm White	7W	N/A	400	70	25,000	10	48"x5/16"	3000K	52555-0
UL9610TP/WW	96" LED Tape Light Kit Warm White	10W	N/A	600	70	25,000	10	96"x5/16"	3000K	74941-3
UL120TP/RGB	10 Foot LED RGB Strip	15W	N/A	600	N/A	50,000	10	118.11"x0.39"	N/A	58328-8


LF5PHH/DL

LF10PHH/DL
Cordless 6&10 Watt LED Handheld Work Light

- 6Watt is Battery Powered(4AA Not Included)
- 10Watt Has A Rechargeable Lithium Battery
- 12 V and 120 Volt USB charger Wire included
- Bright White Day Light
- Indoor/Outdoor Use


LF10HH/DL
INCLUDED

Cordless 10 Watt LED Handheld Work Light

- Rechargeable Lithium Battery
- 120V Charger and 12V Car Charger Included
- Magnetic Base
- Bright White Daylight
- Indoor/Outdoor Use
- Will Operate on Charger if Battery Power is Out


LF10CLMP/DL

16 Watt LED Hanging Clamp Light

- 2-in-1 Functionality: Portable Worklight, Clamp Light, Hanging Light
- 5 Ft Outdoor Rated Grounded Power Cord
- On/Off Power Switch


LF20HH/CRD

LF50HH/CRD
20&52Watt LED Handheld Work Light


- Cool to the Touch
- Rugged High Impact Housing
- 5' Cord with Grounded Plug
- Long Life 30,000 Hours
- Multi Directional Adjustable Head
- Indoor and Outdoor Use


LF20TWL/DL

20 Watt Single LED Tripod

- Cool to the Touch
- 9' Cord with Grounded Plug
- Tripod Telescopes to 5.75' Height
- Multi Directional Adjustable Flood Head
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use


40W LF40TWL/DL

104W LF104TWL/DL

40&104 Watt LED Dual Head Tripod

- Cool to the Touch
- 5' Cord with Grounded Plug
- Tripod Telescopes to 5.6' Height
- Multi Directional Adjustable Flood Heads
- LED Integrated Bulb
- Detachable Head Allows Unit to be Used as a Handheld Unit
- On/Off Switch Included
- Indoor and Outdoor Use


LF8WL/CRD
8 Watt LED Trouble Light

- Rugged High Impact Housing
- Three Prong 6 Ft Cord & Convenience Outlet
- Long Life 50,000 Hours
- Adjustable Mounting Hooks and Magnet
- Indoor and Outdoor Use


SL-5H50/850
50 Ft LED JOB Site Work Light String

- Weatherproof Indoor & Outdoor ETL Wet Location Approved
- Includes 5x8Watt LED Lamps
- Lamps Spaced 10 Ft Apart
- Link up to 250ft
- Flexible Heavy-Duty Cord

Model#	Description	LED Wattage	Halogen Equivalent	Kelvin Color	Lumens	Lamp Life	Case Pack	UPC Prefix 680596
LF5PHH/DL	Portable LED Hand Held Light	6W	-	6000K	500	50,000 Hours	12 pcs	80680215574-6
LF10PHH/DL	Portable LED Hand Held Light	10W	-	6000K	700	10,000 Hours	10 pcs	80680215567-8
LF10HH/DL	Portable LED Hand Held Light	10W	50W	6000K	800	50,000 Hours	12 pcs	58167-3
LF10CLMP/DL	16W Hanging Clamp Light, 5' Cord	16W	50W	5000K	1800	30,000 Hours	10 pcs	58323-3
LF20HH/CRD	20W Red Color Hand Held Unit 5' Cord, Magnetic Base	20W	100W	5000K	2000	30,000 Hours	6 pcs	58196-3
LF50HH/CRD	52W Red Color Hand Held Unit 5' Cord, Magnetic Base	52W	250W	5000K	5000	30,000 Hours	6 pcs	80680215653-8
LF20TWL/DL	20W Single Red Color Head Tripod Unit 5.75' Cord, Magnetic Base	20W	100W	5000K	2200	50,000 Hours	2 pcs	58184-0
LF40TWL/DL	40W Dual Red Color Head Tripod Unit 5' Cord	40W	200W	5000K	4000	30,000 Hours	2 pcs	58183-3
LF104TWL/DL	104W Dual Red Color Head Tripod Unit 5' Cord	104W	500W	5000K	10000	30,000 Hours	2 pcs	80680215638-5
LF8WL/CRD	8W LED Trouble Light 8' Cord	8W	-	5000K	800	50,000 Hours	6 pcs	80680215590-6
SL-5H50/850	5x10W LED JOB Site Work Light String 50 Foot	50W	200W	5000K	6000	50,000 Hours	4 pcs	80680215547-0